

Public Facilities Committee Agenda

City of Newton In City Council

Wednesday, October 4, 2017

7:00 PM Room 204

Items Scheduled for Discussion:

#302-17 Verizon petition for grant of location Windsor Road

<u>VERIZON</u> petition for a grant of location to install one new Pole (P.469/20S) on the northerly side of Windsor Road $500' \pm from$ Kent Road, to remove a guy wire from a tree. [(Ward 5) 09/11/2017 @11:30 PM]

#315-17 Discussion with DPW regarding sewer extension billing

<u>COUNCILOR GENTILE</u> requesting a discussion on how the City currently bills residents for sewer extensions. [09/18/17 @ 3:51 PM]

#216-17 Approval of Building Design and Construction Sustainability Guidelines

HIS HONOR THE MAYOR requesting approval of the "City of Newton – Public Buildings Department – Building Design and Construction Sustainability Guidelines." [07/03/17 @ 12:28 PM]

#317-17 Resolution to support House Bill to protect ratepayers

<u>COUNCILOR CROSSLEY</u> on behalf of Mothers Out Front, requesting a resolution from the City Council in support of H.2683/S.1845 that seeks to protect consumers from leaked gas while providing economic incentive to providers to repair infrastructure so as to reduce methane leaks into the environment [09/25/17 @ 3:07 PM]

#300-17 Mayor's re-appointment of Marian Rambelle to the Solid Waste Commission

MARIAN RAMBELL, 2 Harrington Street, Newtonville, re-appointed as a member of the Solid Waste Commission for a term to expire October 31, 2020. (60 days 11/17/17) 09/08/17 @ 9:11 AM]

Items Not Scheduled for Discussion at this Meeting:

The location of this meeting is accessible and reasonable accommodations will be provided to persons with disabilities who require assistance. If you need a reasonable accommodation, please contact the city of Newton's ADA Coordinator, Jini Fairley, at least two business days in advance of the meeting: jfairley@newtonma.gov or (617) 796-1253. The city's TTY/TDD direct line is: 617-796-1089. For the Telecommunications Relay Service (TRS), please dial 711.

Referred to Public Facilities and Public Safety & Transportation Committees

#281-17 Updates on the Washington Street Design

<u>COUNCILORS CROSSLEY AND CICCONE</u> requesting updates from the Planning Department and DPW to the Public Facilities and Public Safety & Transportation Committees on the progress and design of the Washington Street corridor. [08/28/2017 @3:13 PM]

#316-17 Mayor's appointment of Sunwoo Kahng to the Solid Waste Commission

<u>Sunwoo Kahng,</u> 60 Garland Road, Newton Centre appointed as a member of the SOLID WASTE COMMISSION for a term to expire November 15, 2020. (60 DAYS 12/01/17) 09/27/17 @ 2:49 PM]

#279-17 Mayor's appointment of Miles Smith to the Solid Waste Commission

MILES SMITH, 30 Webster Street, Newton, appointed as a member of the SOLID WASTE COMMISSION for a term to expire September 30, 2020. (60 DAYS 11/4/17) [08/09/17 @ 11:19 AM]

Referred to Public Facilities Committee

#280-17 Updates on the FY18 Accelerated Roads Program

<u>COUNCILOR CROSSLEY</u> requesting periodic updates to the Public Facilities Committee on the FY18 Accelerated Roads Program. [08/28/2017 @3:13 PM]

Referred to Programs & Services and Public Facilities Committees

#27-16 Updates from the Administration on the renovations at the Aguinas site

PROGRAMS & SERVICES AND PUBLIC FACILITIES COMMITTEES requesting that the School Department and/or Executive Department provide updates on removal of asbestos and other toxic materials that were identified at the Aquinas site, the scope and timing of window replacement in particular, and renovations that may be necessary to facilitate short and long-term plans for uses and operations at the site. [01/10/16 @ 1:14 PM]

#171-17 Ordinance Amendment Sec 29-80 Sewer Use Charge

HIS HONOR THE MAYOR requesting an amendment to Section 29-80 Sewer Use Charge of the City of Newton Ordinances by adding the following sentence at the end of Paragraph (a): Notwithstanding the foregoing, seasonal water takers not eligible for an outdoor meter under said Section 29-24, shall pay a charge for the use of sewerage works in proportion to water consumption. [05/30/17@ 3:21 PM]

Finance Held and Referred the Item to Public Facilities 8-0

Referred to Programs & Services, Public Fac. and Finance Committees

#178-17(B) Appropriate \$500,000 for renovations to the Newton Free Library

HIS HONOR THE MAYOR requesting authorization to appropriate the sum of five hundred thousand dollars (\$500,000) from bonded indebtedness for the purpose of funding renovations at the Newton Free Library to include expansion of the Children's Room and other improvements to the First Floor. [05/30/17 @ 2:38 PM]

Public Facilities split the item into Part A and Part B.

Part A - \$75,000 for design and soft costs.

Part B - \$425,000 for construction costs

Public Facilities Approved Part A 7-0 and Held Part B 7-0 on 06/07/17

Finance Approved Part A 8-0 and Held Part B 8-0 on 06/12/17

Referred to Public Safety & Transportation, Public Facilities, and Finance Committees

#179-17 Request for parking meter pilot(s)

<u>COUNCILORS ALBRIGHT, KALIS, LAREDO AND LEARY</u> requesting a parking meter pilot or multiple pilots in Fiscal Year 2018 using the latest technology, which allows payment by credit card and other features, such as monitoring meter usage, providing feedback to administrators, information to drivers, and allowing time-based fee adjustment. 05/22/17 @ 9:15 AM]

#166-17 Resolution that the City become 100% renewable by 2027

COUNCILORS SANGIOLO, NORTON & BROUSAL-GLASER requesting a resolution from the City Council urging the Newton Legislative Delegation in the State Legislature to do everything in its power to bring Massachusetts closer to 100% renewable energy by 2027 and ensure that the benefits of renewable energy are realized by Massachusetts residents from all walks of life. The Resolution should also include a statement that the City Council supports a goal of using 100% clean and renewable energy citywide by 2027. [05/19/17 @3:17 PM]

Public Facilities and Finance Committees

#91-17
Licensing agreement for wireless carriers to install equipment on city poles
COUNCILORS CROSSLEY, ALBRIGHT AND LAPPIN requesting a discussion with the administration regarding possible licensing agreements with wireless carriers, and to create a policy and to develop and adopt a uniform license agreement for wireless carriers to install wireless communication devices on city-owned poles in the public way. [03/27/17 @ 4:44 PM]

Referred to Public Facilities and Finance Committees

Request to increase the Public Works Department by one full-time position

HIS HONOR THE MAYOR requesting authorization to add one full-time employee within the Public Works Department to manage all detail requests submitted to the Police Detail Coordinator. [02/27/17 @ 2:42 PM]

#5-17 Discussion with DPW regarding salt use for snow clearing operations

<u>COUNCILORS CROSSLEY, ALBRIGHT</u> requesting a discussion with the Commissioner of Public Works about City Policy that determines the use of salt on roadways during snow clearing operations, to understand how we might minimize the amount of salt used overall and consider eliminating the placement of salt barrels at certain locations throughout the City. [12/23/2016 @ 8:37 AM]

Referred to Public Facilities and Finance Committees

#385-16 Discussion about the Community Solar Share Program

<u>PUBLIC FACILITIES COMMITTEE</u> requesting discussion with the Administration and Public Buildings Department about the Community Solar Share Program, which intends to provide credits resulting from solar power generated at 70 Elliot Street to qualifying low income residents. [10/26/16 @ 4:20 PM]

Referred to Public Facilities Committee

#317-16 Discussion with Double Poles Working Group

<u>COUNCILOR LAREDO</u> requesting a discussion with the Double Poles Working Group to receive an update on the work of the group and the status of double poles. [07/11/2016 @ 12:44 PM]

Referred to Programs & Services and Public Facilities Committees

#344-16 Discussion regarding oversight of all city/school buildings to improve efficiencies

COUNCILOR LAPPIN requesting a discussion regarding the Public Buildings Department overseeing all public buildings, including School Department facilities, to improve efficiencies. [10/07/16 @ 10:47 AM]

Referred to Programs & Services and Public Facilities Committees

#141-15 Discussion on tracking and improving the condition of the gas utility infrastructure

ALD. BROUSAL-GLASER, SANGIOLO, HESS-MAHAN, COTE, NORTON AND ALBRIGHT
requesting a discussion with the Director of Urban Forestry, a representative of the
Department of Public Works and a representative of the Law Department about
tracking and improving the condition of the gas utility infrastructure in Newton, new
state statutes governing infrastructure repairs, coordination of increased repair work
with city operations, the status of negotiations with National Grid to compensate for
tree deaths resulting from gas leaks, and the possibility of creating a utilities working
group to monitor progress on these and related issues. [05/26/15 @ 2:52 PM]

#163-16 Request for discussion with DPW to consider amend Ordinance for street reconstruction

<u>COUNCILORS CROSSLEY</u>, <u>LAREDO & LAPPIN</u> requesting a discussion with the Commissioner of Public Works, to review city policy and/or ordinances governing repairs to city streets within a period of years after full reclamation and/or milling and repaving of said streets, and to consider strengthening the requirements for repairs so as to protect the public investment in said streets.

#26-16 Proposed amendments to Sec. 5-54 through 5-58 of the Ordinances

COUNCILOR CROSSLEY, ALBRIGHT, HARNEY AND SANGIOLO requesting revisions to Sections 5-54 through 5-58 of the City of Newton Ordinances to clarify the City Council's role and decision-making process with respect to design review, funding, and budget oversight during the construction process of municipal capital building projects; in particular, to better align City Council decisions with typical steps in the design development process, and where applicable, with Massachusetts School Building Authority (MSBA) and other state requirements. [01/11/16 @ 4:53 PM]

#313-15 Request for an update on the Second Water Meter Program

<u>ALD. LAPPIN</u> requesting an update from the Department of Public Works on the second water meter program including: the progress of the inspection and programming of the approximately 900 new outdoor irrigation meters provided by the City to property owners that have yet to be inspected and/or programmed by the City; the process going forward for the issuance, inspection, programming and tracking of second meters; and the notification of residents who already had second meters regarding the process for registering their meters. 10/26/15 @ 7:15 PM]

Referred to Public Facilities and Finance Committees

#223-15 Discussion on the process of licensing the use of city buildings

ALD. LAREDO requesting a discussion of the process of licensing the current and future use of city building, including: (a) how licensees may request the use of city buildings; (b) the process for determining which licensees will get the use of city buildings; (c) how the fees for the use of city buildings are set; and (d) how the current process compares to the process for permitting the use of school buildings. [08/13/15 @ 11:20 AM]

<u>Referred to Programs & Services and Public Facilities Committees</u>

#201-15 Discussion regarding the condition of the Kennard Estate building

<u>ALD. SANGIOLO</u> requesting a discussion with the Commissioner of Public Buildings, the Commissioner of Parks and Recreation, and the Executive Department regarding the condition of the property located at 246 Dudley Road (Kennard Estate) and how much, if any, repairs and upgrades will be needed as the City relocates the Parks and Recreation Department to that location. [09/01/15 @ 4:00 PM].

#328-14 Review of double utility poles

<u>ALD. ALBRIGHT, DANBERG, & LAREDO</u> requesting a review of double poles in Newton including a random sampling of ten double poles on the north side and ten double poles on the south side of Newton to determine which utility is holding up the removal of double poles. [08/19/14 @ 9:16 AM]

Referred To Programs & Services And Public Facilities Committees

#36-12 Inspection of private sewer lines and storm water drainage connections

<u>ALD. CROSSLEY & FULLER</u> requesting Home Rule legislation or an ordinance to require inspections of private sewer lines and storm water drainage connections prior to settling a change in property ownership, to assure that private sewer lines are functioning properly and that there are no illegal storm water connections to the city sewer mains.

- A) Sewer lines found to be compromised or of inferior construction would have to be repaired or replaced as a condition of sale;
- B) Illegal connections would have to be removed, corrected, and re-inspected in accordance with current city ordinances and codes, as a condition of sale. [01/24/12 @ 8:07 AM]

Programs & Services Voted No Action Necessary 6-0 on 11/17/14

#367-09 Discussion on repair of underground streetlight connections

<u>PUBLIC FACILITIES COMMITTEE</u> requesting discussion with the Law Department on how to resolve the dispute with NStar regarding whose responsibility it is to repair the streetlight connection between the manhole and the base of the streetlight. [10/21/09 @ 9:00 PM]

#131-13 Updates and discussion on the sewer, water and storm water systems

<u>ALD. CROSSLEY, FULLER, SALVUCCI, JOHNSON, CICCONE</u> requesting periodic updates and discussion, at the discretion of the members of the Public Facilities Committee or the Commissioner of Public Works, on the condition functioning, operations and management of all elements of the City sewer, water and storm water systems including the following:

- Water meters
- Implementation of the ten project area strategic plan to remove infiltration in the City sewer system
- Implementation of the long range strategic plan to repair and replace City water mains, especially to correct for fire flow
- Status of the City's Private Inflow Removal Program to resolve and disconnect illegal storm water connections to the City sewer system
- Current billing practices
- Rates analyses needed to facilitate an informed comparison of billing options to include the following options either alone or in combination: seasonal rates, second meters, tiered rates, frequency of billing, low income credits.

#188-14 Update on the Cabot School construction project

<u>PUBLIC FACILITIES COMMITTEE</u> requesting periodic updates on the Cabot Elementary School Project. [04/17/14 @ 10:48 PM]

Referred to Public Safety & Transportation And Public Facilities Committees

#413-11 Updates on the renovations to the City's fire stations

<u>ALD. CICCONE, SALVUCCI, GENTILE & LENNON</u> updating the Public Facilities and Public Safety & Transportation Committees on the progress of renovations to the city's fire stations. [11-17-11 @11:07 AM]

Referred to Programs & Services Committees and Public Facilities

#12-17 Request for updates on the Library Expansion Project

<u>COUNCILORS CROSSLEY, ALBRIGHT AND BLAZAR</u> requesting periodic updates from the Library Trustees and Library Director on the Library expansion project. [01/03/2017 @ 3:55 PM]

Referred to Programs & Services Committees and Public Facilities

#13-17 Request for updates on the Archive Expansion Project

<u>COUNCILORS CROSSLEY, ALBRIGHT, AND BLAZAR</u> requesting periodic updates from the City Clerk on the Archives expansion project. [01/03/2017 @ 3:56 PM]

Respectfully submitted,

Deborah J. Crossley, Chair

Karen Levesque Right of Way Manager



385 Myles Standish Blvd Taunton, MA 02780

Office 774-409-3170 Mobile 774-504-1279 Karen.levesque@one.verizon.com

September 6, 2017

Newton City Council Newton City Hall, Room 105 1000 Commonwealth Avenue Newton, MA 02459

RE: Petition for Verizon job # 1A2F6RL **Windsor Road**

Dear Honorable Board of Selectmen:

Enclosed find the following items in support of the above-referenced project:

- 1. Petition;
- 2. Petition Plan;
- 3. Order;
- 4. Abutters.

A Public Hearing and notice to abutters is required. A Verizon representative will attend the Public Hearing. Should any questions or comments arise concerning this matter prior to the hearing, please contact me at 774-409-3170. Your assistance is greatly appreciated.

Sincerely,

Luceque Karen Levesque

Right of Way Manager

CITY OF NEWTON MASSACHUSETTS

PETITION for GRANT OF LOCATION

To the Petitioner:

City of Newton Ordinance Section 23-5 requires that each petition for grant of location be submitted to the City Council before it is sent to the Public Works Department for a preliminary review. The comments of the Public Works Commissioner will be part of the record submitted to the City Council. Upon filing with the City Council, the petition will be scheduled for a public hearing before the Public Facilities Commented the City Council. The petitioner is responsible for insuring that the petition is complete and all required materials are in order for review. Attached please find the City Engineer's Standard Requirements for Plans and the Department of Public Works Permit Processing brochure.

Grant of Location Process:

- 1. Applicant submits completed Petition Form and required materials to the City Council
- 2. Public Works Department conducts preliminary review and gives written comments to the applicant
- 3. Engineering Division files Petition Form with comments with the Clerk of the City Council
- 4. City Council schedules petition for a public hearing before the Public Facilities Committee of the City Council
- 5. Public Facilities Committee recommendations are forwarded to the City Council for a final decision

Questions may be directed to:

Lou Taverna, City Engineer, 617-796-1020 City Council Office, 617-796-1210

I. IDENTIFICATION (Please Type or Print Clearly)
1. IDENTIFICATION (Trease Type of Time enearry)
Company Name Verizon New England Inc
Address 385 Myles Standish Blvd
Taunton, MA 02780
Phone Number <u>774-409-3170</u> Fax Number
Contact Person Karen Levesque Title Row Manager Signature Mulliple Date 9/6/17 Person filing application ()

If a telecommunications company, indicate how certified by the Department of Telecommunications and Energy:

II. DESCRIPTION OF PROJECT: to be completed by petitioner
A. Write here or attach a description of the project including, location, proposed time frame for completion, type of materials to be used, benefit provided to the City, project mitigation plan as applicable, street reconstruction plan including timetable for completion. In Stalling Support Pole to remove a grup wire from a tree. Allowing for schedulling project should be completed within 4 weeks after petition is approved, requires 1-3 days of work.
B. Include or attach a sketch to provide a visual description of the project. If plans are attached, provide: Title of Plan Pohition Plan Date of plan Q(0)\7
III. PUBLIC WORKS DEPARTMENT REVIEW
Date received by Public Works Department Check One: Minor Project
(Refer to City Engineer Standard Requirements for Plans for definition of minor and major project)
Plans Submitted: Certified Plot Plan Stamped Plans DATE AND COMMENTS: RECOMMENDATIONS:
Placement of New folk may interfer with existing tree on provate Property. Any sidework or curb Lanaped shall be peplaced in Kind John Dayble Associale City Engineer
9/13/17
V. RECOMMENDATION TO PUBLIC FACILITIES COMMITTEE:
Commissioner, Public Works Public Works Date

RECEIVED Newton City Clerk

ORDER FOR JOINT OR IDENTICAL POLE LOCATIONS

By the City Council of NEWTON, Massachusetts.

Notice having been given and a Municipal Council Meeting held, as provided by law, It is HEREBY ORDERED:

that VERIZON NEW ENGLAND INC. and NSTAR ELECTRIC COMPANY BB/A EVERSOURCE ENERGY be and they are hereby granted joint or identical locations for any permission to erect and maintain poles and their respective wires and cables to be placed thereon together with anchors guys and other such sustaining and protecting fixtures as said Companies may deem necessary in public way or ways hereinafter referred to, as requested in petition of said Companies dated to the day of SEPTEMEBR 2017.

Windsor Road:

Place one (1) new JO pole, P.469/20S on northerly side of Windsor Road approximately 500' northeasterly from the centerline of Kent Road.

This petition is necessary in order to remove a guy wire from a tree.

All construction under this order shall be in accordance with the following conditions:

Poles shall be of sound timber, and reasonably straight and shall be set substantially at the points indicated upon the plan marked-VZ N. E. Inc. No. 1A2F6RL Dated 09/06/2017 - filed with said petition.

The following are the public ways or parts of ways along which the poles above referred to may be erected, and the number of poles, which may be erected thereon under this order:

Windsor Road
1 JO pole to be placed

Also that permission be and hereby is granted to each of said Companies to lay and maintain underground laterals, cables and wires in the above or intersecting public ways for the purpose of making connections with such poles and buildings as each may desire for distributing purposes.

I hereby certify that the foregoing ord	er was adopted at a mee	
NEWTON, Massachusetts held on the	day of	2017.
	City Clerk	

We hereby certify that on	201	7. at	o'clock	m., at the	
	a pub	lic hearing	was held on	the petition of	the
VERIZON NEW ENGLAND INC. and NS	TAR ELECTRIC	COMPA	NY D/B/A E	EVERSOURCE	Ξ
ENERGY for permission to erect the poles.	wires, cables, fir	ktures and	connections	described in th	e order
perewith recorded, and that we mailed at le	ast seven days be	fore said he	earing a writ	tten notice of tl	ne time
and place of said hearing to each of the own	ners of real estate	(as determ	ined by the	s are permitted	to erect
assessment for taxation) along the ways or poles, wires, cables, fixtures and connection	parıs or ways upo ns under said ord	er And th	e Companic at thereupon	s are perimited said order was	duly
adopted.	ns under said ord	CI. THIC UI	ar thirt on p		
adopted.					
			-		
				<u> </u>	
	Councilmen for	or the City of	of NEWTO	N, Massachuse	etts
	CERTIFICA	TE			
			ation andon	and cortificate	of hearing
I hereby certify that the foregoing with notice adopted by the City Council of	g is a true copy of	t a joint loc	ation order a	2017.	or nearing
recorded with the records of location orde	rs of said Town.	Book	, Page	2017, v	this
certified copy is made under the provision	s of Chapter 166	of General	Laws and a	ny additions th	ereto or
amendments thereof.					
		A 444.			
		Attest:			
		City	Clerk		

verizon√	PETITION PLA	AN	
MUNICIPALITY	NEWTON	VZ N.E. Inc. No.	1A2F6RL
VERIZON NEW ENGLA	ND, INC and NSTAR ELECTRIC COMPANY d/b/a EVER	SOURCE ENERGY DATE :	SEPTEMBER 6, 2017
SHOWING	PROPOSED INSTALLATION ONE F	POLE ON WINDSOR ROAD	
NOT TO SCALE	Windsor Road Winds	031 0015 / #131 W PARCEL II	Newton City Clerk Newton, MA 62459 Windsor Road Newton City Clerk Windsor Road Windsor Road Windsor Road Windsor Road Windsor Road
	LEGEND		
⊗	PROPOSED JOINTLY OWNED POLE EDGE OF ROAD	\bigotimes	NG JOINTLY OWNED POLE TO REMAIN

ABUTTERS LIST

Parcel ID: 53031 0015 143 Windsor Road

JAMES N. GORDON DONNA M. GORDON 143 WINDSOR ROAD WABAN, MA 02468

Parcel ID: 53031 0016 153 Windsor Road

HENRY JOSEPH FINCH 153 WINDSOR ROAD **WABAN, MA 02468**

Parcel ID: 530031 0014 131 Windsor Road

KEVIN JOHNSON LINDA LYNCH 131 WINDSOR ROAD **WABAN, MA 02468**

Parcel ID: 53031 0009 160 Windsor Road

PETRUS A.M. SPIERINGS PAULA C. WOLK 160 WINDSOR ROAD WABAN, MA 02468

Parcel ID: 53031 0009A 126 Windsor Road

DANIIL UTIN 126 WINDSOR ROAD **WABAN, MA 02468**

PETITION FOR JOINT OR IDENTICAL POLE LOCATIONS

September 6, 2017

To the City Council

in NEWTON, Massachusetts

VERIZON NEW ENGLAND INC. and NSTAR ELECTRIC COMPANY D/B/A EVERSOURCE ENERGY request permission to locate poles, wires, cables and fixtures including the necessary anchors, guys and other such sustaining and protecting fixtures to be owned and used in common by your petitioners, along and across the following public way or ways:

Windsor Road:

Place one (1) new JO pole, P.469/20S on northerly side of Windsor Road approximately 500' northeasterly from the centerline of Kent Road.

This petition is necessary in order to remove a guy wire from a tree.

Wherefore they pray that after due notice and hearing as provided by law, they be granted joint or identical locations for and permission to erect and maintain poles, wires and cables, together with anchors, guys and other such sustaining and protecting fixtures as they may find necessary, said poles to be erected substantially in accordance with the plan filed herewith marked-VZ N.E. Inc. No. **1A2F6RL** dated **09/6/2017.**

Also for permission to lay and maintain underground laterals, cables and wires in the above or intersecting public ways for the purpose of making connections with such poles and buildings as each of said petitioners may desire for distributing purposes.

Your petitioners agree that space shall be reserved and maintained for the limited purpose of attaching one-way low voltage fire and police signaling wires owned by the municipality or governmental entity for public safety purposes only.

VERIZON N	EW ENGLAND I	NC.	
By Karen Lev	vesque - Manager	- Rights of Way	-
Dated this	day of	, 2017.	
NSTAR ELE	CTRIC COMPAN	NY D/B/A EVERSOURCE ENERO	GY
By Karen Lev	vesque - Manager	- Rights of Way	-
Dated this	day of	, 2017.	

Final Label Report

#302-17

SBL	Owner	Number	Street	Unit
53030 0009B	MCGRATH SCOTT TR	226	KENT RD	
53031 0010	EPSTEIN GARY O TR	89	WINDSOR RD	
53029 0012	GIANELLY ERNESTINE A	92	WINDSOR RD	
53031 0011	MAYPOLE JOHN S	101	WINDSOR RD	
53029 0013	OSOFSKY MAX ALAN	102	WINDSOR RD	
53029 0014	FREEDMAN JUDITH N	108	WINDSOR RD	
53031 0012	GOLDBERG JACOB & HELEN CANNING	115	WINDSOR RD	
53031 0013	MACKINNON DAVID D	121	WINDSOR RD	
53030 0009A	UTIN DANIIL	126	WINDSOR RD	
53031 0014	JOHNSON KEVIN	131	WINDSOR RD	

Friday, September 22, 2017 Page 1 of 1

§ 29-71

Sec. 29-67A. Reserved.

(Ord. No. V-93, 10-21-96; Ord. No. Z-86, 05-16-11; Ord. No. A-104, 02-21-17)

DIVISION 3. PUBLIC SEWERS

Sec. 29-68. Restrictions on entry, etc., into public sewers.

No person shall uncover, make any connections with or opening into, alter, or disturb any public sewer or appurtenance thereof without first obtaining written permission from the commissioner. The acquisition of such permission shall not relieve the holder thereof of the responsibility of obtaining any permits from any other city department and/or the M.W.R.A. required by ordinance, statute, code, or regulation. Any person proposing a new connection into the system or a change in the volume or character of pollutants that are being discharged into the system which may result in a change in the characteristics of discharge which (1) constitutes fifteen (15) percent or more of the limitations specified in section 29-76(c); (2) exceed any limit specified in section 29-76(c); or (3) result in the discharge of water or waste specified in section 29-76(b), shall notify the commissioner at least forty-five (45) days prior to the proposed change or connection. (Rev. Ords. 1973, § 18-25; Ord. No. 90, 10-6-75; Rev. Ords. 1979, § 29-85; Ord. No. R-153, 6-17-81)

Sec. 29-69. Public sewers, order required to lay, connect.

- (a) No public sewer shall be laid or connected with any existing public sewer until both of the following conditions have occurred: (1) the board of aldermen has ordered the extension of such sewer and (2) the commissioner of public works has received prepayment for installation of at least one building sewer which will be served by such public sewer; provided, however, that the commissioner's issuance of a license for installation of building sewer by private contractor pursuant to section 29-61 shall be deemed to satisfy this prepayment condition.
- (b) The board of aldermen shall not make an order for the extension of a public sewer until said board has held a public hearing and determined that the petitioner(s) for such sewer extension has received estimates of all costs associated with connecting to the proposed public sewer.
- (c) The board of aldermen shall schedule such public hearings so as to minimize the length of time between the public hearings and the anticipated construction date, taking into consideration the availability of funding and, where applicable, the existence of any public health emergency as determined by the health and human services commissioner. (Rev. Ords. 1973, § 18-3; Rev. Ords. 1979, § 29-60; Ord. No. R-153, 6-17-81; Ord. No. T-231, 7-13-92; Ord. No. X-175, 05-26-05)

Sec. 29-70. Duty of city engineer as to construction of common sewers; plans and profiles thereof.

The city engineer shall make and prepare all needed specifications describing and governing the work of construction, and shall make plans and profiles of all common sewers showing their locations with reference to other sewers and the street lines. Such plans and profiles shall be filed in the office of the city clerk, and after being so filed, shall be deposited in the office of the engineering division of the department of public works, which shall be deemed a part of the office of the city clerk for the keeping of such plans. The city engineer shall keep an accurate account of the cost and expenses of each common sewer. (Rev. Ords. 1973, § 18-2; Rev. Ords. 1979, § 29-59; Ord. No. 153, 6-17-81; Ord. No. V-289, 3-20-00)

State law reference—Provision authorized, G.L. c. 40, § 21(5)

Sec. 29-71. Installation cost of new public sewers—City to pay fifty percent.

§ 29-75

A minimum of fifty per cent (50%) of the cost of installation of new public sewers shall be paid by the city. (Rev. Ords. 1973, § 18-6; Rev. Ords. 1979, § 29-62; Ord. No. R-153, 6-17-81)

Sec. 29-72. Same—Assessments upon owners of estates passed by new sewers.

- (a) Assessments of that part of the cost of installation of new public sewers not borne by the city shall be made upon owners of estates the frontage of which is passed in any part by said new sewer. The assessment shall be made by a uniform unit method which shall be based upon sewerage construction costs divided among the total number of existing and potential sewer units to be served, after having proportioned the cost of special and general benefit facilities. Each sewer unit shall be equal to a single-family residence. Potential sewer units shall be calculated on the basis of zoning then in effect. Existing and potential multi-family, commercial, industrial, and semipublic uses shall be converted into sewer units on the basis of residential equivalents, but no assessment in respect to any such estate which by reason of its grade or level or for any other cause cannot be drained into such sewer shall be made, certified or notified until such incapacity is removed. Estates which are presently connected to city sewers shall not be counted as existing or potential sewer units in the uniform unit method calculation.
- (b) No such assessments shall be made upon owners of lots having frontage on any street or way in which a sewer shall have been constructed under bond by the developer of a subdivision pursuant to rules and regulations of the planning board. (Rev. Ords. 1973, § 18-7; Ord. No. 50, 1-20-75; Rev. Ords. 1979, § 29-63; Ord. No. R-153, 6-17-81; Ord. No. T-231, 7-13-92; Ord. No. Z-105, 04-02-12)

 State law reference—sewer betterments, G.L. c. 83 § 15

Sec. 29-73. Same—Owners of estates not liable to assessments.

Owners of estates or parts of estates not liable to assessments as set forth in section 29-72, or not in fact assessed, shall pay for the use of public sewers for the disposal of their sewage from such estates or parts of estates such reasonable sum as the board of aldermen shall determine. (Rev. Ords. 1973, § 18-8; Rev.Ords. 1979, § 29-64; Ord. No. R-153, 6-17-81)

Sec. 29-74. Same—Plan of estates to be assessed therefor; entry of assessments thereon; assessments to be lien until paid.

Upon notification by the board of aldermen of the board's intent to lay out or construct a public sewer, the city engineer shall prepare and submit to the board of aldermen plans of the estates to be assessed pursuant to this chapter showing the owners' names, frontages and areas, together with a schedule showing the assessments on the estates abutting and benefited. The amount ascertained, assessed and certified by the mayor and aldermen shall be entered upon the plan prepared for assessment and shall form a lien against the estate until the same is paid. The city clerk shall furnish the city collector-treasurer, the comptroller of accounts and the engineering division of the department of public works with a certified copy of such schedule with the order of the board of aldermen thereon, as approved by the mayor. (Rev. Ords. 1973, § 18-9; Rev. Ords. 1979, § 29-65; Ord. No. R-153, 6-17-81; Ord. No. V-289, 3-20-00)

Sec. 29-75. Same—Collection of assessments therefor; apportionment of assessments.

The city collector-treasurer, upon receipt of the certified copy of the schedule of assessments pursuant to section 29-74 with the order thereon, shall send notices to the parties named therein with demand of payment of the amount assessed, and such amount shall be due and payable thirty (30) days after the assessment list has been committed to the collector-treasurer, after which time interest shall be charged thereon at the highest rate allowed by law, provided that if at any time before demand for payment by the collector-treasurer under the provisions of Chapter 60 of the General Laws, the owner of land assessed gives notice to the board of assessors to apportion such assessment, or if the board in its discretion makes such apportionment at any time before the proceedings for the enforcement of the collection without such notice to the board, such assessment shall be due and payable as provided by law and the

Nadia Khan

From: Louis M. Taverna

Sent: Tuesday, September 26, 2017 1:40 PM

To: Deb Crossley (djcrossley26@verizon.net); Lenny

Cc: Theodore Jerdee; James Mcgonagle; Shawna Sullivan; Nadia Khan; John Daghlian

Subject: Sewer Extension betterment Assessments per current Ordinance

For clarification,

We (City Council as recommended by Public Works) revised the sewer extension betterment assessments city ordinance in 2012, to more equitably assess the cost of the sewer main extensions construction installation. See section 29-71 and 29-72.

Under the old city ordinance, the abutters paid a lump sum of \$1.00 per linear foot of frontage, plus \$0.25 per square foot of area, up to 125 feet deep. The city pays the rest, and the city pays at least 50% of the cost of construction.

When we assessed the cost the Aspen-Hawthorne-Studio sewer extension construction, it happened that the abutters paid about 10% of the cost of construction, and the city paid about 90% of the cost of construction, based on these lump sum prices.

We changed the ordinance so that the residential frontage and area were eliminated, and the residents paid their fair share (*up to* 50% of the cost of construction), based on a uniform unit method. The residents cost of the construction is divided equally by the number of lots to be served by the sewer extension. The city still pays the other 50% (*minimum*).

Section 29-71 was not changed, and states "A *minimum* of fifty percent (50%) of the cost of installation of new public sewers shall be paid by the city." This statement obviously was written as open ended.

I hope this clarifies this.

Also note: Should a new house be constructed, and the new owners want to immediately connect to the sewer system by a sewer extension only serving their new house, and they cannot wait for the due process of city council vote to approve the sewer betterment assessments (not the sewer extension), they are welcome to pay 100% of the cost of construction on their own.

Lou

ADDRESS		NO SEWER				4E Doo 0E			ABTHI IB KOLOTKINI	OF BOXI STONI STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER CERTIFICATE INSPECTION SEWER REPORT PIF REPORT PIF INVALID ADDRESS NO SEWER N							CNKNCWN	SAME	TRANK TOON AG	750 BOYESTON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT PIF REPORT PIF REPORT PIF REPORT PIF INVALID ADDRESS NO SEWER NO		YES		DEMO'D	BUILDING	10/31/2001		528 BOYLSTON ST	A E & J INC.	504 BOYLSTON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER NO SEWE		NO SEWER			!			SAME	PASQUALE NUZZI	380 BOYLSTON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F REPORT P/F REPORT P/F ROSEWER 2016 CONNECTED SOR STRUCTURE DEMOLITIONS INVALID ADDRESS NO SEWER 2016 CONNECTED SEWER NO SEWER NO SEWER NO SEWER		NO SEWER					UNKNOWN		ANNA SIGNORE	364 BOYLSTON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F ROSEWER ROSEWER 2016 Connected in 2002 Did not witness NO SEWER NO SEWER NO SE		INVALID ADDRESS					UNKNOWN		LUIGI SIGNORE	360 BOYLSTON STREET
COMPLIANCE SYSTEM MUNICIPAL ABA	ğ ω	NO SEWER					UNKNOWN		DAVID ROWE	65 BOYD STREET
COMPLIANCE SYSTEM MUNICIPAL ABA	Ŏ	INVALID ADDRESS					UNKNOWN		ALEXANDRA ANTHONY	53 BOYD STREET
ALLE D COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P	Š	NO SEWER					UNKNOWN	SAME	N. ZESSOULES	BOWDOIN STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER CERTIFICATE NISPECTION		INVALID ADDRESS					UNKNOWN		LINEHAN REALTY CORP	15 BORDER STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/		NO SEWER					UNKNOWN		MARCELLA MAGERER	57 B BLAKE STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER SEWER 2016 Connected in 2002 Connected in 2002 VES YES YES YES YES YES YES NO SEWER		NO SEWER					UNKNOWN		MARCELLA MAGERER	57 A BLAKE STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F ROSEWER Z016 Connected in 2002 Did not witness NO SEWER		NO SEWER					UNKNOWN		DOUG WECKSTEIN	49 BLAKE STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER		NO SEWER					UNKNOWN		MICHAEL McSALLY	49 BLAKE STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F ROSEWER 2016 SEWER 2016 SEWER 2016 SEWER 2016 Connected in 2002 Connected in 2002 FES YES YES YES YES YES YES YES YES NO SEWER		NO SEWER					UNKNOWN	SAME	GEORGE ABRAMS	2 BERNARD LANE
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER		NO SEWER					UNKNOWN	SAME	MICHAEL DERTOUZOS	5 BERNARD LANE
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/		NO SEWER					CESSPOOL	SAME	RICHARD SNYDER	22 BELLEVUE STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F ROSEWER NO SEWER		NO SEWER					UNKNOWN	SAME	CHARLES McCARTHY	2081 BEACON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER NO S		NO SEWER					CESSPOOL	SAME	N. W. HOSPITAL	2075 BEACON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/		YES 8/12/15			11-Nov-96		TANK-SAS	SAME	PARISH OF G. SHEPARD	671 BEACON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER NO		YES			06-May-95		TANK-SAS	SAME	RICHARD PAGLIA	192 BEACON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/		YES 6/11/10					CESSPOOL	SAME	IRMA KOOPMAN	188 BEACON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER YES YES Jun-99 29-Jun-99 YES YES YES Jun-95 NO SEWER		NO SEWER					UNKNOWN	SAME	ARMAND DEMICHELE	147 BEACON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER		NO SEWER					UNKNOWN	SAME	JAMES BONES	143 BEACON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER 2016 Connected in 2002 NO SEWER NO SEWER NO SEWER NO SEWER NO SEWER NO SEWER VES YES YES YES YES YES YES YES YES YES Y		NO SEWER					UNKNOWN	1ST CHURCH	CHISTIAN SCIENCE CTR	100 BEACON STREET
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER NO SEWER Connected in 2002 NO SEWER SEWER NO SEWER NO SEWER NO SEWER NO SEWER NO SEWER SEWER NO SEWER YES		NO SEWER					UNKNOWN	SAME	CHRISTOPHER GANNON	04 AUDOBON DRIVE
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER NO SEWER SEWER 2016 Connected in 2002 NO SEWER YES		YES					UNRNOWN	SAME	CHRISTOPHER BAKER	5 ASPEN AVENUE
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F		YES					TANK-SAS	SAME	ROBERT HILLSON	3 ASPEN AVENUE
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F		YES					CESSPOOL	SAME	JOHN FALLON	5 ASPEN AVENUE
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER		YES				ANK-SAS		SAME	SISTERS OF CHARITY	O ASPEN AVENUE
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER 2016 Connected in 2002 NO SEWER		YES		Jun		ANK-SAS		SAME	MARY BIANCHI	11 ASPEN AVENUE
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F		YES						SAME	ARTHUR WOOD	3 ASPEN AVENUE
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER SEWER 2016 Connected in 2002 NO SEWER		YES					UNKNOWN	SAME	PAUL BERGIN	4 ASPEN AVENUE
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER SEWER 2016 Connected in 2002 Did not witness NO SEWER NO SEWER NO SEWER NO SEWER NO SEWER		NO SEWER					UNKNOWN	SAME	ARTHUR HOQUIST	5 ASHCROFT ROAD
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER SEWER 2016 Connected in 2002 Did not witness NO SEWER		NO SEWER					UNKNOWN	SAME	EDWARD BOUZAN	ASHCROFT ROAD
ALLED COMPLIANCE SYSTEM MUNICIPAL ABA CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F REPORT P/F INVALID ADDRESS NO SEWER SEWER 2016 Connected in 2002 Did not witness		NO SEWER					UNKNOWN	SAME	DOUGLAS WALLES	60 ALLEN AVENUE
ALLED COMPLIANCE SYSTEM MUNICIPAL CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F UPGRADES OR STRUCTURE DEMOLITIONS INVALID ADDRESS NO SEWER 2016 SEWER 2016	Did not witness	Connected in 2002					UNKNOWN	SAME	VERA FITCH	91 ALBERT ROAD
ALLED COMPLIANCE SYSTEM MUNICIPAL CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F UPGRADES OR STRUCTURE DEMOLITIONS INVALID ADDRESS NO SEWER		SEWER 2016					UNKNOWN	SAME	MARY FITZSIMMONS	86 ALBERT ROAD
ALLED COMPLIANCE SYSTEM MUNICIPAL CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F UPGRADES OR STRUCTURE DEMOLITIONS INVALID ADDRESS		NO SEWER					/HOLDING TANK	TORNARE CONST	JAMES ROGERS	56 ALBAN ROAD
ALLED COMPLIANCE SYSTEM MUNICIPAL CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F UPGRADES OR STRUCTURE DEMOLITIONS	O	INVALID ADDRESS					UNKNOWN		JOSEPH BIANCHI	5 ADAMS COURT
ALLED COMPLIANCE SYSTEM MUNICIPAL CERTIFICATE INSPECTION SEWER REPORT P/F REPORT P/F UPGRADES OR STRUCTURE DEMOLITIONS										
ALLED COMPLIANCE SYSTEM MUNICIPAL CERTIFICATE INSPECTION SEWER REPORT P/F			KE DEMOLITIONS		_ ار	KECEN I SEWER CONNE	OMPLE LE AL LIMES DUE TO	LAKLY BUT MAY BE INC	ON THIS LIST IS UPDATED REGU	HE INFORMATION CONTAINED
PGRADE-REPAIR INSTALLED COMPLIANCE SYSTEM MUNICIPAL CERTIFICATE INSPECTION SEWER TYPE REPORT P/F			7		-	ATED	ANDONED SYSTEMS DELE	CURRENT LIST WITH AB	EMS FROM THIS LIST-THERE IS A	OTE-DO NOT DELEATE SYSTI
ISTING SYSTEM NEW SYSTEM INSTALLED COMPLIANCE SYSTEM MUNICIPAL UPGRADE-REPAIR CERTIFICATE INSPECTION SEWER TYPE REPORT P/F										
ISTING SYSTEM NEW SYSTEM INSTALLED COMPLIANCE SYSTEM MUNICIPAL UPGRADE-REPAIR CERTIFICATE INSPECTION SEWER TYPE REPORT P/F REPORT P/F							STEM	PERTIES ON TITLE 5 SY	NGECOMMERCIAL	
ISTING SYSTEM NEW SYSTEM INSTALLED COMPLIANCE SYSTEM MUNICIPAL UPGRADE-REPAIR CERTIFICATE INSPECTION SEWER TYPE REPORT P/F								MAIN EXTENSION	GREENUNDER STUDY FOR	
RESIDENCE EXISTING SYSTEM NEW SYSTEM INSTALLED COMPLIANCE SYSTEM MUNICIPAL UPGRADE-REPAIR CERTIFICATE INSPECTION SEWER			REPORT P/F			TYPE	UBBED	LLEDPROPERTIES ST	PURPLESEWER MAIN INSTA	
RESIDENCE EXISTING SYSTEM NEW SYSTEM INSTALLED COMPLIANCE SYSTEM MUNICIPAL UPGRADE-REPAIR CERTIFICATE INSPECTION SEWER									BLUESEWER AVAILABLE	COLOR CHART
RESIDENCE EXISTING SYSTEM NEW SYSTEM INSTALLED COMPLIANCE SYSTEM MUNICIPAL UPGRADE-REPAIR CERTIFICATE INSPECTION SEWER										
RESIDENCE EXISTING SYSTEM NEW SYSTEM INSTALLED COMPLIANCE SYSTEM MUNICIPAL		SEWER	INSPECTION	CERTIFICATE		UPGRADE-REPAIR				
	ABAND.	MUNICIPAL	SYSTEM	COMPLIANCE	INSTALLED	NEW SYSTEM	EXISTING SYSTEM	RESIDENCE	OWNER	ADDRESS
TITLE 5 SYSTEMS LOG						SYSTEMS LOG		TITLE 5		

	NOGEWEN					CINKINOVIN	SAME	VODEKT MEDONALD	מו כככאו מואחדו
	YES				SEWER 1913		PINE BANK CONDO	KENNETH MANTORY	27 COTTAGE STREET
	NO SEWER					UNKNOWN	SAME	RUTH SHARPE	19 COTTAGE STREET
	NO SEWER					UNKNOWN	SAME	ANGUS MILLER	13 COTTAGE STREET
12-Dec-96	NO		6	18-Dec-96	TANK-SAS	CESSPOOL	SAME	ROBERT HAILER	100 CONCORD STREET
03-Aug-00	NO	J-00	07-Aug-00	03-Aug-00	TANK-GALLERIES	UNKINOWN	SAME	FRANK JOYCE	86 CONCORD STREET
	NO SEWER)2	30-Dec-92		TANK-PIT	SAME	ROGER LEBLANC	82 CONCORD STREET
	NO SEWER					UNKNOWN	SAME	ARMEN BAROOHSHIAN	72 CONCORD STREET
	NO SEWER		4	17-Dec-64		TANK-FIELD	SAME	REGINALD LINDSAY	66 CONCORD STREET
	NO SEWER					UNKNOWN	SAME	CHARLES McCLURE	50 CONCORD STREET
	NO SEWER		24	17-Dec-64		TANK-FIELD	SAME	SAM PERKINS	48 CONCORD STREET
	NO SEWER					UNKNOWN		ALFRED CASELLA	2021 COMMONWEALTH AVE.
	NO SEWER		ŏ	10-Nov-86	OF THE LOCAL PROPERTY OF THE P	TANK-FIELD	N/A	NEWTON CEMETERY	1160 COMMONWEALTH AVE.
	YES				SEWER 1998	UNKNOWN	9		767 COMMONWEALTH AVENUE
	NO SEWER					LINKNOWN	SAME	FOSTER WELD	12 COLUMBUS TERRACE
	NO SEWER			000		LNKNOWN	SAME	RICHARD JACOBSON	198 COLLINS ROAD
	YES		ίπ	08-Oct-65		TANK-FIEI D	SAME	DIANA RENDELL	177 COLLINS BOAD
	NO SEWER					CINCUCAN	Ω Δ Μ Π	VIRGINIA SIGEI	176 COLLING ROAD
	NO SEWIER					ľ	140 COMM AVE	BOSION COLLEGE	80 COLBY WIKEEL
	NO SEWEX						SAME	EXNEW TREWCO -	18 CLIFF ROAD
	NO OFFWER					CURNCWN	BROCKLINE	GEX - XOUE BAXXOVO	543 CHESINOI SIREE
	NO SEWER					UNKINOWN	SAME	HENRY VARA	350 CHESTNUT STREET
	NO SEWER					L RD. UNKNOWN	256 CHEST HILL RD.	MONTE WALLACE	274 CHESTNUT HILL ROAD
	NO SEWER					TANK	SAME	MONTE WALLACE	256 CHESTNUT HILL ROAD
	NO SEWER					METAL TANK	SAME	WEST SALTONSTALL	245 CHESTNUT HILL ROAD
	NO SEWER					CESSPOOL	SAME	EMILY BIRD	240 CHESTNUT HILL ROAD
	NO SEWER					UNKNOWN	SAME	ENDICOTT SALTONSTALL	231 CHESTNUT HILL ROAD
	NO SEWER					UNKNOWN		ARTHUR GOTLIEB	215 CHESTNUT HILL ROAD
	NO SEWER					UNKNOWN	SAME	RICHARD LEE	210 CHESTNUT HILL ROAD
	YES		55	25-Aug-86		TANK-SAS-PIT	SAME	JOSEPH McNAY	206 CHESTNUT HILL ROAD
	NO SEIVIER					LINKOWN	NAME.	BICHARD BYRD III	190 CHESTNIT HILL BOAD
	140					UNKONNI	N/A	NEWTON YACHT CILIB	CHARLESBANK BOAD
	NO SEWER					NANOWN OXING	O AMIT	ANNA SANGLIINETTE	102 CHARLEMONT STREET
	NO SEWIED		œ.	U8-Apr-88		INKNOWN	NIA	THE EVANGELICAL BART	23 CHAREL STREET
	YES		\$7	18-Nov-87		TANK-SAS-PIT		STANLEY WALLERSTEIN	1408 CENTRE STREET
	NO SEWER						SAME	JOHN BOARDMAN	4 CARTHAY CIRCLE
	NO SEWER					UNKNOWN	11 WHITE AVENUE	PASQUALE CANTERA	20 CARLISLE PLACE
	YES				SEWER 1997	""	11 WHITE AVENUE	PASQUALE CANTERA	18 CARLISLE PLACE
	NO SEWER						111 CHARLMONT	PAUL DONLAN	91 CARL STREET
	NO SEWER					UNKNOWN	SAME	PAUL SEROLITO	355 CALIFORNIA STREET
	NO SEWER					CESSPOOL		JOHN PURCELL	349 CALIFORNIA STREET
	NO SEWER				OLWEIN 1904	UNKNOWN		EDWARD BIANCHI	345 CALIFORNIA STREET
	NO OEWER				SEWED 1004	CINENCOMA	OAME	SAMIJEI CONTREBAS	235 B CALIEOBNIA STREET
	NO SEWER					CESSPOOL	CAME	SCHN DORTMAN	26 BYEIEI D BOAD
	NO SEWER					ONKNOWN	CAME	AN IHONY DORN	SO BURUEAN ROAD
	NO SEWER					CUKNOWN) i	ROSE	17 BURDEAN ROAD
	NO SEWER	7-16-03 F				L	95 COUN CLUB RD	KENNETH HALPERN	325 BROOKLINE STREET
	NO SEWER						SAME	MAIDA BROADBENT	147 BROOKLINE STREET
	NO SEWER					UNKNOWN	SAME	MORDECHAI PORATH	61 BRIERFIELD ROAD
	NO SEWER					UNKNOWN	SAME	REBECCA PORTNOI	35 BRACEBRIDGE ROAD
	NO SEWER					CESSPOOL	SAME	RICHARD WILSON	15 BRACEBRIDGE ROAD
NO RECORD	YES	O'D d'O	G DEMO'D	BUILDING	8/20/2007	CESSPOOL	SAME	SVERLANA TRIFONOV	1207 BOYLSTON STREET

	10 200	40 00	ro hag oo	200	02-00		000	O SWIL	O COLLAR	142 21/19/2017
	18 000	NO SEIVIER	2			TANK SAS	CESSBOOL	CAME	JOSEPH LEDESCO	143 FARWELL STREET
		NO SEWER					CINKING	DAMI	IOSERH TERESON	23 FARWELL O'REET
		NO SEWER					CINCINCIONIN	21/2	STA ASSOCIATES INC	23 FARINA ACAU
		NO SEWER					UNKNOWN	SAME	WALTER JOHNSTON	18 FAIRWAY DRIVE
		YES				SEWER 1993	UNKNOWN		MICHAEL WEILER	50 FAIRLEE ROAD
		NO SEWER					CESSPOOL	SAME	JANET HOLLY	35 FAIRLEE ROAD
		NO SEWER	8-3-09 PASS				UNKNOWN	SAME	ROBERT BAURLE	69 FAIR OAKS AVENUE
		NO SEWER					TANK	SAME	JACKIE WISE	27 ESTABROOK ROAD
		NO SEWER					UNKNOWN	N/A	SECOND BAPTIST CH.	65 ELLIS STREET
		NO SEWER					CESSPOOL	SAME	MEI VIN TAYMOR	14 FLIOT MEMORIAL ROAD
		NO SEWED					CINKINOWN	CAME	MARY WHITE	170 ELGIN STREET
		NO SEWER					CESSPOOL	SAME	MINKOTT - AND	156 FLGIN STREET
N.JOHNSON	12-Apr-17	SEWER		pr-17	12-Api	CITY SEWER	CESSPOOL-REAR	SAME	EDWARD KRUPAT	151 ELGIN STREET
n.johnson	17-Oct-16	sewer		i	5	sewer 10/17/16	CESSPOOL	SAME	ROBERT COOPER	145 ELGIN STREET
n. johnson	17-Oct-16	sewer				sewer 10/17/16	CESSPOOL	SAME	JOHN CHADIS	143 ELGIN STREET
		NO SEWER					UNKNOWN		PAMELA WOODWORTH	142 ELGIN STREET
		NO SEWER					UNKNOWN		ROBERT KRAUSS	166 EDINBORO STREET
		NO SEWER					UNKNOWN	SAME	RICHARD HEATON	160 EDINBORO STREET
	?	YES				Sewer 1996	CESSPOOL	SAME	ROBERT MARKEIWICZ	89 EASTBOURNE ROAD
		YES				Sewer 1958	UNKNOWN			428 DUDLEY ROAD
		YES		1-91	18-Oct-91		TANK-SAS-FIELD	BUILDING DEPT	CITY OF NEWTON	246 DUDLEY ROAD
		YES		1-83	07-Jan-83		TANK-SAS-FIELD	SAME	MICHAEL MAYNARD	244 DUDLEY ROAD
		NO SEWER							PAUL FIREMAN	230 DUDLEY ROAD
		NO SEWER					CESSPOOL	SAME	SHELDON BUCKLER	200 DUDLEY ROAD
		NO SEWER					CESSPOOL	SAME	MICHAEL MOSKOW	190 DUDLEY ROAD
	,	NO SEWER					CESSPOOL (2)	SAME	ROLLEN KATZ	181 DUDLEY ROAD
	3/21/17 by Neal Johnson	NO SEWER						SAME	GUNTHER SCHULLER	167 DUDLEY ROAD
		NO SHWER						2 DARK SO BOSTON	ARRAHAM MOSCOW	136 DUDLET ROAD
		NO SEWED					_	NAME OF DOOR	INI MARGHAII	130 DIDLEY BOAD
		NO SEWER						2 DARK SO BOSTON	ABRAHAM MOSKOW	138 DIDI EV ROAD
		NO SEWED					CEGGLOOL	CAME	MORTON NILISSBALIM	110 DIDI EV BOAD
		NO SEWER					CESSBOOL	SAME	ALAN EDEL STEIN	231 DORSET ROAD
		SEWER 5/21/2007					UNKNOWN		EUGENE CACCIOLA	57 DORSET ROAD
		NO SEWER					TANK-SAS	SAME	MICHAEL KNIGHT	83 DICKERMAN ROAD
artment	ted in 1997 per public works department	NO SEWER					UNKNOWN	SAME	WILFRED ESTY	1005 DEDHAM STREET
			LAND CLEARED	LAND		Jan-01	UNKNOWN	N/A	JOSEPH DELUCA	992 DEDHAM STREET
		NO SEWER	5-14-04 PASS				CESSPOOL		DOUG SMITH	970 DEDHAM STREET
		NO SEWER					TANK-SAS	SAME	CARL SHIPNER	816 DEDHAM STREET
		NO SEWER					CESSBOOL	SAME	MARION BRINGE	739 DEDHAM STREET
		NO SEWER					UNKNOWN	SAME	ALAN EPSTEIN	564 DEDHAM STREET
		NO SEWER					UNKNOWN	SAME	IRVING SERONICK	162 DEDHAM STREET
		NO SEWER					UNKNOWN	SAME	JENNY CROWDER	95 DEDHAM STREET
		ESS					UNKNOWN	PARKS & REC	CITY OF NEWTON	24 DEDHAM STREET
vitnessed	d in 1996 but no abandonment witnessed						UNKNOWN		LINDA BARRY	151 DAY STREET
		INVALID ADDRESS					UNKNOWN	SAME	ELSIE JEWETT	136 DAY STREET
		NO SEWER					CESSPOOL	SAME	ALEX BAUM	124 DAY STREET
		NO SEWER					UNKNOWN	N/A	MCLENNAN, NUTTER	148 DARTMOUTH STREET
		NO SEWER					UNKNOWN	SAME	RICHARD INGWALL	115 DARTMOUTH STREET
		SEWER 7/28/15					UNKNOWN	CAME	GUY DEFEIS	26 COYNE ROAD
		SEWER 7/25/2012					TANK-SAS	SAME	JOHN DEFFELEY	49-51 COURT STREET
			=		=					

		=					9		
	NO SEWER					UNKNOWN	SAME	BASII WOODS	122 ISI INGTON BOAD
	NO SEWER					CLOST COCL	SAME	EBEDEBICK BURTON	61 ISLINGTON ROAD
	NO SEWER					CESSBOOL	SAME	EBEDERICK ARERNATHY	45 ISLINGTON ROAD
	NO SEWER					UNKNOWN	SAME	ELEANOR THAYER	42 ISI INGTON ROAD
	NO SEWER					CLOCAL		BEVERI Y DROZ	35 ISI INGTON ROAD
	16-Mar-06					- 12	7	BIBEN EAGUNDO	32 HIIBI EA BI VOE
	16-Mar-06				0000	CESSPOOL (2)	NEEDHAM	I LIKE TI INNEY	24-26 HIBI EV PI ACE
	VEN NEW				SEWER 1993	INKNOWN	ONE	RA IA SAEED	O HOWIEWOOD ROAD
	אוס פראיודם					SEBLIC TANK	0000	CARMEN MARRANI	38 HOMEWOOD BOAD
	SEWER 10/17/11				SEWER 1966	CESSPOOL	SAME	ROBERT HALISMAN	165 HIGHLAND STREET
	NO			12-Jul-91	NO SEWER	TANK-PIT		CATHERINE McDONOUGH	30 HEREFORD ROAD
3 CESSP-9-10-08	NO		21-Oct-08		JMP-C	CESSPOOLS (3)	SAME	WHITMAN RICHARDS	20 HEREFORD ROAD
	SEWER 7/27/16						SAME	BRUCE EDMANDS	12 HEREFORD ROAD
	NO SEWER					UNKNOWN	SAME	RALPH HUTCHINGS	49 HEATHERLAND ROAD
	YES					UNKNOWN		DOUG BISSONETTE	111 HAWTHORNE AVENUE
SEWER 9/11/2014	YES					UNKNOWN	SAME	ELMER KENDALL	110 HAWTHORNE AVENUE
	YES					UNKNOWN	SAME	HELGE SAHLIN	BUNDAL WALLANDH WE
	•					UNKNOWN	SAME	JOHN CRONIN	97 HAWTHORNE AVENUE
		9/15/2005 PASS				CESSPOOL-SINGLE		McLEOD	30 HAWTHORNE AVENUE
	YES		26-Nov-07	03-Aug-07	Tank/Trenches	TANK w/CESSPOOLS	SAME	JOHN BUTTERWORTH	79 HAWTHORNE AVENUE
	YES					CESSPOOL	SAME	ERNSTOFF	30 SUPPLY SUPPLY 187
	YES			29-Dec-94		TANK-PIT	SAME	THOMAS MACKOWSKI	73 HAWTHORNE AVENUE
	YES	4-30-10 PASS				TANK-FIELD	SAME	ROBERT AND NORENE ROLLE	63 HAWTHORNE AVENUE
	YES					CESSPOOL	SAME	JOHN FREITAS	57 HAWTHORNE AVENUE
	YES					UNKNOWN	SAME	HELEN WALLSTROM	51 HAWTHORNE AVENUE
	NO SEWER					UNKNOWN	SAME	FRANK DELUCA	30 HAWTHORNE STREET
	NO SEWER					UNKNOWN	SAME	ALEXANDER BOVE	31 HAMMOND STREET
	INVALID ADDRESS			1				CHARLES DEMERJIANS	675 GROVE STREET
	YES			28-Sep-83		TANK-SAS	APARTMENT BLDG	WOODLAND GROVE CON	416 GROVE STREET
	NO SEWER					CESSPOOL (2)	SAME	LOUIS YOUNG	233 GROVE STREET
	NO SEWER					CESSPOOL		MARK NEWTON	222 GROVE STREET
	NO SEWER					TANK	46 OTIS STREET	LEWIS SIMONS	GROVE HILL PARK
06-Jun-98	NO SEWER					UNKNOWN	SAME	JOSEPH ACKIL	59 GROVE HILL PARK
06-Jun-94	NO SEWER					UNKNOWN	SAME	PHILIP RICHMOND	54 GROVE HILL PARK
	SEWER 11/5/2008					CESSPOOL-REAR	SAME	EDNA ACHUFF	50 GROVE HILL PARK
	NO SEWER					CESSPOOL	SAME	RICHARD KAGAN	271 GREENWOOD STREET
	NO SEWIER					ONKNOWN	SAME		751 CBEENWOOD STBEET
	YES 1993				SEWER 1993	CNKNOWN		MICHAEL ROSENBLAT	GREENWOOD STREET
	NO SEWER					UNKNOWN	SAME	V E MARIOS	41 GREAT MEADOW ROAD
	NO SEWER					UNKNOWN	SAME	JERRY CHEW	15 GREAT MEADOW ROAD
	NO SEWER					UNKNOWN	SAME	MICHAEL GLAVIN	34 GRAYSON LANE
E)	SEWER (UNKNOWN DATE)	SE				UNKINOWN	SAME	ROBERT SCHREIBER	28 GRAYSON LANE
(E)	DA	SE				UNKNOWN	SAME	DANIEL RAKOV	11 GRAYSON LANE
ted in 1997 per public works department						UNKNOWN	SAME	DANIEL ROSS	70 GAMMONS ROAD
ted in 1997 per public works department						UNKNOWN		MATT SEGAL	62 GAMMONS ROAD
and management	NO SEWER					UNKNOWN	SAME	ARNOLD MILLER	29 GAMMONS ROAD
Connection to sewer verified on 7/15/15 but no abandonment was witnessed	ad on 7/15/15 but no aba	nnection to sewer verifie	Co			CESSPOOL	SAME	RAYMOND RILEY	19 GAMBIER STREET
no abandonment was witnessed	nected to the sewer hilt r	ing said property is conn	Engineer	1		CESSPOOL	SAME	NICOLA MASTANTI IONO	10 GAMBIER STREET
	NO SEWER					UNKNOWN	SAME	CESIDIO CELUCCI	11 FURBUSH AVENUE
yea III 1997 bei babiic works debaratietit					HOI DING TANK	TANK/GREASE TRAP & HOI DING TANK	C	BRAF BURN C CLUB	326 FILLIER STREET
ed in 1997 per public works department	NO SEWER **					CESSPOOL	SAME	PHILIP BRICOLIT	31 FREDANA ROAD
	SEWER 7/25/16					CESSPOOL	NEEDHAM	JAMES DUNNE, JR.	33 FLORENCE STREET

	NO SEWER				SEPTIC TANK	SAME	THOMAS POLITE	36 MADOC STREET
	NO SEWER				UNKNOWN	SAME	ROBERT WEBB	31 MADOC STREET
	NO SEWER				UNKNOWN		SAMUEL ITKIN	21 LOUISE ROAD
	NO SEWER				UNKNOWN	SAME	PETER LEWIS	33 LONGWELL ROAD
	NO SEWER				UNKNOWN	SAME	DINO TONELLI	9 LONGFELLOW ROAD
				SEWER 1992	UNKNOWN		JULIA ARNETT	300 LINWOOD AVENUE
ted in 1997 per public works department					UNKNOWN	SAME	KEVIN ACKERLY	33 LIL AVENUE
	NO SEWER				UNKNOWN	WATERTOWN	GREGORY CASTANO	19 LIL AVENUE
	INVALID ADDRESS				UNKNOWN	SAME	EDWARD SCRIBNER	234 LEXINGTON STREET
	NO SEWER				UNKNOWN	SAME	STANLEY BRZOWSKI	225 LEXINGTON STREET
	NO SEWER				UNKNOWN	BRIGHTON	DOUGLAS JOE	206 LEXINGTON STREET
	NO SEWER				UNKNOWN	203 LEXINGTON ST	LENA DUBANO	205 LEXINGTON STREET
	NO SEWER				UNKINOWN	SAME	LENA DURBANO	203 LEXINGTON STREET
	NO SEWER				UNKNOWN	SAME	PASQUALE LEONE	198 LEXINGTON STREET
	NO SEWER				UNKNOWN	SAME	BERNARD AVILA	192 LEXINGTON STREET
	NO SEWER				UNKNOWN	SAME	RALPH CAPPOLA	174 LEXINGTON STREET
	NO SEWER				UNKNOWN		LAY JING FOON	166 LEXINGTON STREET
				SEWER 1991	UNKNOWN	95 ALBERT RD.	CHARLES GARABEDIAN	158 LEXINGTON STREET
24-Jun-09	6-26-08 PASS 25-Jun-09	6			CESSPOOL	SAME	JEFFERY MILLER	31 LARCH ROAD
	NO SEWER				CESSPOOL	SAME	AUGUSTINE SIGNORE	351 LANGLEY ROAD
	YES			SEWER 1940	UNKNOWN	NGLEY RD	MARIO SIGNORE	335 LANGLEY ROAD
	NO SEWER				CESSPOOL	SAME	MICHAEL LYONS	292 LAGRANGE STREET
	NO SEWER				UNKNOWN		ALEXANDER KURITNIK	204 LAGRANGE STREET
	NO SEWER					SAME	STANLEY ROBINSON	46 LAFAYETTE ROAD
	NO SEWER		- 15		CESSPOOL (2)	SAME		45 LAFAYETTE ROAD
			01-1-1-06	TANK-SAS		SAME	CLAIR BOBBING	40 I AFAVETTE BOAD
	10-28-05 COND NO SEWER				CESSBOOL (2)	SAME	PAIL OF IR	39 LAFATETTE ROAD
	NO SEWER				CINKNOWN	CAME CAME	TAYLOR	31 LAFA VETTE BOAD
	NO SEWER				CESSPOOL	SAME	NICHOLOS ANNIONI	28 LAFAYETTE ROAD
	NO NO		24-Jun-96	TANK-SAS	UNKNOWN	SAME	MAXINE POCHE-IROY	25 LAFAYETTE ROAD
		17-Nov-03		TANK-CHAMBERS	CESSPOOL	SAME	ALAN FRIEDMAN	22 LAFAYETTE ROAD
	NO	22-Jul-02	22-Jul-02	TANK-FIELDS	UNKNOWN	SAME	MORTON GELLES	17 LAFAYETTE ROAD
	NO		02-Dec-92	TANK-PIT	UNKNOWN	SAME	ANNE RUGGLES	16 LAFAYETTE ROAD
	NO		19-Dec-96	TANK-TRENCHES	UNKNOWN	SAME	KENNETH LOWEY	10 LAFAYETTE ROAD
	YES			SEWER 1965	UNKNOWN	SAME	KEVIN McNAMARA	81 KINGSWOOD ROAD
					CESSPOOL	SAME	THOMAS MINAS	75 KINGSWOOD ROAD
	4/14/2004-COND NO SEWER	4/-			CESSPOOL	SAME	GERALD FASMAN	69 KINGSWOOD ROAD
					UNKNOWN	SAME	A. J. HARRIS	58 KINGSWOOD ROAD
	-				CESSPOOL	SAME	JERROLD HICKEY	52 KINGSWOOD ROAD
	02-03-09 FAIL SEWER 9/25/2009				CESSPOOL	SAME	JULES AARONS	46 KINGSWOOD ROAD
	NO SEWER				UNKNOWN	SAME	HARRY KIRSCH	41 KINGSWOOD BOAD
	NO SEWER					SAME	MASSIE DICARLO	40 KINGSWOOD ROAD
	NO SEWER				CERRIDIVINI	SAME	CONALD HELM	35 KINKSWOOD ROAD
	NO SEWER				UNKNOWN	SAME	WILLIAM CLEARY	27 KINGSWOOD ROAD
	INVALID ADDRESS				UNKNOWN		WAYNE DICARLO	24 KINGSWOOD ROAD
	NO SEWER				UNKNOWN	SAME	ROBERT McCLEAN	6 KENYON STREET
	INVALID ADDRESS					VASH. STREET	N-W HOSPITAL	27 KENNEY PLACE
	SEWER 11/20/2003				CESSPOOL	SAME	BARBARA GALVIN	94 R JEWETT STREET
	NO SEWER				UNKNOWN	SAME	GERTRUDE BROWN	12 JANET ROAD
	NO SEWER				CESSPOOL	SAME	GERADO MAZZOLA	201 JACKSON ROAD
	YES			SEWER 1992	UNKNOWN		JOHN HAYWOOD	284 ISLINGTON ROAD
	NO SEWER				CEGGLOGE	SAME	CAROLYN EREEMAN	275 ISLINGTON BOAD
	NO SEWIER				CECCEOOI	SAME	DWIGHT COLL AN	331 ISLINGTON BOAD

MANAGANA MARKATER MANAGANA MARKATER MANAGANA MANA						9		
PRINCES EMPIN SAME CRESSPOLL CRESS		NO SEWER			CESSPOOL	SAME	BELA GAVALLER	184 PINE GROVE AVENUE
PRESCRICTORNAMEDHAM SAME CASSPOOL MAN SERVER 1984 MAS SERVER 1984 MAN SE		NO SEWER		IANK-SAS-FIELDS	ONKNOWN	OAME	FI EVINOB WITHBRID	176 BINE GROVE AVENUE
PRINCIPE SMITH	01-Oct-02	NO SEWER	13-Apr-01	TANK-SAS-FIELDS	CESSPOOL	SAME	VICTORIA KLUMPP	160 PINE GROVE AVENUE
PRINCIPATE BANKIN PRIN	/e test 3/30/17 connected to sewer				UNKNOWN		DORTHEA WELLS	16 PILGRIM ROAD
DITAL COLLEGE		INVALID ADDRESS			UNKNOWN		WILLIAM LAMB	80 PAUL STREET
PRECIDER SMITH SAME CESSTOOL MONORM MOSTRINE		INVALID ADDRESS			UNKNOWN			24 PARKER TERRACE
PRESIDES SIATH SAME		INVALID ADDRESS			UNKNOWN		FERDINANDO MERLONG.	361 PARKER STREET
DESCRIPTION		NO SEWER			UNKNOWN	Ç	BENZO CELLI	357 PARKER STREET
DESIGNATION SAME		NO SEWER			CESSPOOL	SAME	WILLIAM PRESLEY	219 PARKER STREET
Debilicone Smith Same Desiron Desiron Dos Swires Dos Swire		NO SEWER			UNKNOWN	SAME	BENJAMIN GROSS	181 PARKER STREET
Debilicate Smith Same Desidon Deside D		NO SEWER			UNKNOWN	SAME	JOHN RUSSELL	25 PARKER ROAD
Debilicate Smith Same		NO SEWER			UNKNOWN	SAME	MAJORIE DOE	19 PARKER ROAD
PRINCIPE SMITH SAME CRESSOON CRESS CALLAMAN CRESSOON CRESS CALLAMAN CRESSOON CR		NO SEWER			UNKNOWN		MICHAEL LASELL	119 PARK STREET
PERECORE SMITH SAME UNROWN NO SEWER		YES		SEWER 1940	UNKNOWN	SAME	RICHARD PAULING	121 PARK AVENUE
DANIELDRE SMITH SAME		NO SEWER			CESSPOOL	SAME	PETER SHAW	43 PALMER ROAD
PARELOPE SMITH SAME		NO SEWER			UNKNOWN	SAME	BARRY FARMAN	34 PALMER ROAD
PRINCIPE SMITH SAME		NO SEWER			UNKNOWN	SAME	GEORGE NEGROS	27 PALMER ROAD
PRINCIPE SMITH SAME		NO SEWER			CESSPOOL	SAME	RICHARD BRISTOL	22 PALMER ROAD
PRINCIPE SMITH		NO SEWER			UNKNOWN	SAME	ALAN BOSNER	21 PAI MER BOAD
PERELOPE SMITH		NO SEWER			CINKNOWN	SAME	KENNETH ROSENEELD	69 OLD FEIELD BOAD
PERELOPE SMITH		INVALID ADDRESS			ONKNOWN	PLANNING DEPT.	CITY OF NEW ION	OLU ENGLAND ROAD
PERELIDEE SMITH		NO SEWER			UNKNOWN	SAME	NICHOLAS PARADISO	62 OAKWOOD ROAD
DENELOPE SMITH		NO SEWER			CESSPOOL	SAME	JANE LYNDE	56 OAKWOOD ROAD
PENELOPE SMITH	unknown	01-May-04			UNKNOWN	SAME	WILLIAM MARK	69 OAKLAND AVENUE
PENELOPE SMITH		NO SEWER			UNKNOWN	SAME	RAFFAELE STELLATO	87 NORTH STREET
PENELOPE SMITH		NO SEWER			UNKNOWN	CAMBRIDGE	ANDRE DANIERE	71 NORTH STREET
PENELOPE SMITH		NO SEWER			CESSPOOL	44 WHEELER ROAD	PETER MOLEUX	33 NICKERSON ROAD
PENELOPE SMITH		NO SEWER			CESSPOOL	SAME	RUTH MICHELSON	24 NICKERSON ROAD
DENELOPE SMITH		NO SEWER			UNKNOWN	SAME	BITA FOI FY	151 NESHOBE ROAD
PENELOPE SMITH		NO SEWER			UNKNOWN	N/A	JACOB REAL TY TRUST	72 NEEDHAM STREET
Den Den		NO SEWER			CNKNOWN	N/A	JACOB REALLY TRUST	55 NEEDHAM STREET
PENELOPE SMITH SAME CESSPOOL JOHN CALLAHAN SAME UNKNOWN BESSIE BAILEY SAME UNKNOWN D		INVALID ADDRESS			UNKNOWN	N/A	JACOB REALTY TRUST	49 NEEDHAM STREET
Deneilope Smith		INVALID ADDRESS			UNKNOWN	N/A	JACOB REALTY TRUST	29 NEEDHAM STREET
DOHN CALLAHAN		NO SEWER			UNKNOWN		JERRY ANGINO	303 NAHANTON STREET
DOHN CALLAHAN		SEWER 7/20/16			UNKNOWN	SAME	SAUL CUTLER	20 NAHANTON STREET
SAME CESSPOOL		INVALID ADDRESS			UNKINOWN		ALFIO DETHONASIS	22 MURPHY COURT
SAME CESSPOOL	TE)	SEWER (UNKNOWN DAT			CESSPOOL	SAME	JOHN PLOTKIN	235 MOUNT VERNON STREET
SAME CESSPOOL		NO SEWER				SAME	MARY POTHIER	16 MORRIII STREET
SAME CESSPOOL		YES		SEWER 1965	UNKNOWN		C & R REALTY TRUST	55 MOODY STREET
DOHN CALLAHAN SAME CESSPOOL		NO SEWER			UNKINOWN		SHINA JARVIS	39 MOODY STREET
DOHN CALLAHAN SAME CESSPOOL		NO SEWER			UNKNOWN	SAME	THOMAS DIMATTEO	34 MOODY STREET
Denelope Smith		NO SEWER			UNKNOWN	SAME	GRACE MARKS	28 MOODY STREET
DORECTION COLLEGE		NO SEWER			CESSPOOL	N/A	C & R REALTY TRUST	15 MOODY STREET
PENELOPE SMITH		NO SEWER			UNKNOWN	SAME	JOSEPH WHITEHORN	126 MOFFAT ROAD
PENELOPE SMITH		NO SEWER			UNKNOWN	140 COMM AVE.	BOSTON COLLEGE	29 MILL STREET
PENELOPE SMITH SAME CESSPOOL JOHN CALLAHAN SAME UNKINOWN BESSIE BAILEY BESSIE BAILEY SAME UNKNOWN INKKOWN SAME INKKOWN		YES		SEWER 1994	UNKNOWN	SAME	PAUL HUGHES	111 MANCHESTER RAOD
PENELOPE SMITH		NO SEWER			UNKNOWN	SAME	EI ORENCE CLINNINGHAM	105 MANCHESTER ROAD
DE PERELOPE SMITH SAME CESSPOOL		NO SEWER			UNKINOWN	SAME	BESSIE BAILEY	96 MANCHESTER ROAD
		NO SEWER			CESSPOOL	SAME	PENELOPE SMITH	20 MAGNOLA AVENUE

NO SEWER			LINKNOWN	מהכמהא וכש טהדי.	GERALD MELVICK	44 STRATFORD ROAD
NVALID ADDRESS				7	JOSEPH WEINFELD	WIEIN CIRCLE
NO SEWER			UNKNOWN	N/A	BRAEBURN C. CLUB	99 STANTON AVENUE
INVALID ADDRESS			UNKNOWN		BESSIE SWAINE	STANTON AVENUE
NO SEWER			UNKNOWN		EDWARD CAREY	115 STANIFORD STREET
NO SEWER			CESSPOOL (S)	SAME	JOSEPH CAREY	103 STANIFORD STREET
NO SEWER	07-Dec-99		TANK-TRENCHES	NEW HOUSE-1999	ROBERT CUNNINGHAM	102 STANIFORD STREET
NO SEWER			UNKNOWN		GEORGE KIMBLE	99 STANIFORD STREET
NO SEWER			UNKNOWN		GERALD McDADE	84 STANIFORD STREET
NO SEWER			UNKNOWN		FREDERICK WELDON	79 STANIFORD STREET
NO SEWER			UNKNOWN		CHARLES WEST	68 STANIFORD STREET
NO SEWER			UNKNOWN		PAUL WILSON	65 STANIFORD STREET
NO SEWER			UNKNOWN		JAMES DUFFY	62 STANIFORD STREET
NO SEWER			UNKNOWN		JAMES GRASSO	56 STANIFORD STREET
NO SEWER			UNKNOWN		JAMES PINE	55 STANIFORD STREET
NO SEWER			TANK		JAMES BARBERIO	50 STANIFORD STREET
NO SEWER			UNKNOWN		ALTON LAMONT	49 STANIFORD STREET
NO SEWER			UNKNOWN		JAMES FINSTEIN	39 STANIFORD STREET
YES		SEWER 1959	UNKNOWN	!	LIBERTA DIRUSSO	103 SHERIDAN STREET
SEWER 1/18/2006			UNKNOWN	SAME	MR. & MRS. BEATTY	25 SCRIBNER PARK
NO SEWER			UNKNOWN	0	DIANNE McADAM FYE	18 SCRIBNER PARK
NO SEWER			CESSPOOL	SAME	PHII ID KETT	11 SCRIBNER PARK
NO SEWER			CESSPOOL	C	THOMAS FRAZIER	32 SAMOSET ROAD
NO SEWER		NO PLAN	CESSBOOL	SAME	MARSHA WHITTINGTON	28 SAMOSET ROAD
NO UE WEX			CESSPOOL		ME A MOY	24 SAMOSET ROAD
NO SEWER	25-Apr-97	TANK-SAS-FIELDS	CESSPOOL	SAME	LEONARD SITOMER	19 SAMOSET ROAD
NO SEWEX			UNKNOWN	COMMERCIAL	BAXILE I IXEE EXTEX	14 SAMOSE I ROAD
INVALID ADDRESS			TANK	COMMERCIAL	V Z → Z	153 RUMFORD AVENUE
INVALID ADDRESS			UNKNOWN		17 TECH CIRCLE	143 RUMFORD AVENUE
NO SEWER			UNKNOWN		SHARON HAMBY	97 RUMFORD AVENUE
NO SEWER			CESSPOOL		ALSTON CONLEY	22 ROUNDWOOD ROAD
NO SEWER			UNKNOWN		JOSEPH PICARIELLO	6 ROLAND STREET
NO SEWER			UNKNOWN		THOMAS LIBBY	66 ROCKLAND PLACE
NO SEWER			CESSPOOL	SAME	JAY SKINNER	39 ROCKLAND PLACE
NO SEWIER					IRA DEDEKIAN	48 ROCHESTER ROAD
			CESSPOOL	SAME	LASELL COLLEGE	24 ROBIN DELL
NO SEWER			UNKNOWN	COMMERCIAL	BARRY BROS. INC	253 RIVERVIEW AVENUE
NO SEWER			UNKNOWN	COMMERCIAL	WINDBROOK ASSOC.	241 RIVERVIEW AVENUE
NO SEWER			UNKNOWN	COMMERCIAL	EG&G	237 RIVERVIEW AVENUE
NO SEWER			UNKNOWN		JOSEPH FARINA	28 RIVERDALE AVENUE
NO SEWER			UNKNOWN		EDWARD LUTTMER	318 A RIVER STREET
NO SEWER			LINKONNI		FDWARDILITIMER	318 RIVER STREET
NO SEWER			NWOWN		PETER KUGE	25 RIDGE ROAD
NO SEWER					SATYAPRIYA SARKAR	17 RIDER TERRACE
NO SEWER			NWOWN	1471	MICHAEL COHEN	33 RESEVOIR DRIVE
INVALID ADDRESS			CHUKNOWN F	N/A	M B T A	32 RAMSDELL STREET
NO SEWEX			CESSPOOL	S AME	BANDALI ZUSMAN	65 DROSDECT DARK
NO SEWER			CESSBOOL	OAMI	ALEXANDER GIGLIO	172 PINE STREET
NO SEWER			UNKNOWN		SALVATORE YERARDI	158 PINE STREET
NO SEWER			UNKNOWN		ROSE VENUTO	133 PINE STREET
NO SEWER			UNKNOWN		HENRY SHULMAN	194 PINE GROVE AVENUE
			=			

	INVALID ADDRESS					CINNICANIN		MAL IORWITE	1960 WASHINGTON STREET
	NO SEWER					TANK/GREASETRAP		WOODLAND C. CLUB	1958 WASHINGTON STREET
	NO SEWER						COMMERCIAL		1897 WASHINGTON STREET
	NO SEWER					UNKNOWN		HAGOP BEKARIAN	1211 WASHINGTON STREET
	NO SEWER					UNKNOWN	CAR DEALER	CLARK & WHITE	1200 WASHINGTON STREET
	INVALID ADDRESS					UNKNOWN	FLORIST SHOP	SUSAN FORSTERN	777 WASHINGTON STREET
	NO SEWER					UNKNOWN	N/A	NEWTONVILLE EXXON	660 WASHINGTON STREET
	NO SEWER					UNKNOWN	VETERANS DEPT	CITY OF NEWTON	650 WASHINGTON STREET
	NO SEWER					UNKNOWN	SAME	MICHAEL FREED	520 WASHINGTON STREET
					KITCHEN				48 WARREN STREET
					BASE LAV,LAUNDRY	CEOUT COL-XEAX		AMY ROBINGON	
4/23/2009 Letter	YES				SEWER 1981	ONKNOWN		DOMINIC ARDUINO	45 WARREN STREET
	NO SEWER					CESSPOOL	SAME	ALICE WILSON	39 WARREN STREET
	NO SEWER					UNKNOWN	N/A	MWRA	24 WARREN STREET
	INVALID ADDRESS					CESSPOOL		ALVAN LEVENSON	WARD STREET
02-Apr-04	NO SEWER					UNKNOWN		BARRY GRANOFF	15 WALSINGHAM STREET
	25-Mar-04					REAR CESSPOOL			1401 WALNUT STREET
	YES				SEWER 1953	CESSPOOL	SAME	JEFFERY WONG	1308 WALNUT STREET
	NO SEWER					UNKNOWN		LEONARD DAVIS	1304 WALNUT STREET
					HOUSE DEMO'D	CESSPOOL		THOMAS WIGHTMAN	73 WALLACE STREET
	NO SEWER					UNKNOWN		NORMAN HOBICA	30 WABASSO STREET
					CARRIAGE HOUSE	UNKNOWN	SAME	JOHN BURKE	10 WABASSO STREET
	NO SEWER					UNKNOWN		RICHARD LEVIN	107 R WABAN HILL ROAD
	NO SEWER					CESPOOL	SAME	DANIEL CARR	428 WABAN AVENUE
	NO SEWER					UNKNOWN		JEHANGIR MUGASETH	420 WABAN AVENUE
	NO SEWER						SAME	ARTHUR SOUTHWICK	412 WABAN AVENUE
	NO SEWER					CESSPOOL (2)		WALTER ALBERSHEIM	176 WABAN AVENUE
	INVALID ADDRESS					CESSPOOL	SAME	KENNETH WELCH	155 WABAN AVENUE
	NO SEWER					UNKNOWN	Ç	DANIEL SCHERLIS	81 VISTA AVENUE
	NO SEWER					TANK	SAME	SIDNEY BERKOWITZ	140 VINE STREET
	NO SEWER					CESSDOOL	O A A A	UAVID RAHN	134 VINE O IZEE
	NVALID ADDRESS					CNENCONN		EUWARU WOLT	מייייייייייייייייייייייייייייייייייייי
	NO SEWER					CESSPOOL	SAME	DAVID WILSON	9 VERNDALE ROAD
	NO SEWER					UNKNOWN		JANET WINER	11 VAUGHN AVENUE
	NO SEWER					CESSPOOL	SAME	JONATHAN BRUSS	100 VARICK ROAD
	NO SEWER					UNKNOWN		BAVERSTAM	81 VARICK ROAD
	?			25-Apr-88	SYSTEM REPAIR	TANK	SAME	HOWARD BECK	39 VARICK ROAD
						CESSPOOL	SAME	JOEL LARUS	41 VARICK HILL ROAD
ted in 1997 per public works department						UNKNOWN		MAXWELL BRESLAU	27 VARICK HILL ROAD
	NO SEWER					UNKNOWN		LOIS SMITH	174 VALENTINE STREET
	SEWER 7/1/2013					CESSPOOL	WORCESTER	JOHN TOPALIS	95 UPLAND AVENUE
	SEWER 9/17/2007					CESSPOOL	SAME	WILLIAM KONEY	45 THURSTON ROAD
	NO SEWER			U8-May-97		INKNOWN		ARTI IRA TREIZE	41 TERRACE AVENUE
	YES:			22	NO SEWER	UNKNOWN		DAVID SACHS	NO WOMMER WITHER
	YES			01-Sep-89	NO SEWER	TANK-PIT	SAME	JEFF KLEIN	70 STUDIO ROAD
	YES			26-Sep-95	NO SEWER	TANK-TRENCHES	SAME	KEVIN SHAE	67 STUDIO ROAD
	YES				NO SEWER	CESSPOOL	SAME	JOHN KOSA	47 STUDIO ROAD
	YES			30-Jun-99	TANK-GALLEY	CESSPOOL	SAME	HOLLY NIXHOLM	35 STUDIO ROAD
ank on 5/15/17 connection to sewer will go		7-31-03 P	15-Aug-01	15-Aug-01	TANK-SAS		SAME	ROBERT KELLY	29 STUDIO ROAD
	YES					UNKNOWN		JOSEPH GUZZI	21 STUDIO ROAD
	NO SEWER					CESSPOOL	SAME	ROBERT DAVIS	60 STRATFORD ROAD
	NO SEWER					CESSPOOL		KURT BRODERICK	52 STRATFORD ROAD

2300 WASHINGTON STREET	OLD TIME GARAGE LTD		CESSPOOL			NO SEWER	
29 WEST PINE STREET	THE FALLS IN NEWTON		SEPTIC TANK			NO SEWER	
55 WEST PINE STREET	HELEN CHAMBERLAIN		UNKNOWN			NO SEWER	
69 WEST PINE STREET	DOUGLAS STUART		UNKNOWN			NO SEWER	
37 WILDE ROAD	ANNETTE RUBIN	SAME	CESSPOOL			NO SEWER	
119 WILLARD STREET	ALBERT CUGINI		UNKNOWN			NO SEWER	
WINCHESTER STREET	RUTH KEEZING		UNKNOWN			INVALID ADDRESS	
16 WINCHESTER STREET	CITY OF NEWTON	PARKS & REC	UNKNOWN			INVALID ADDRESS	
315-317 WINCHESTER STREET	CITY OF NEWTON	PARKS & REC+C477 UNKNOWN	UNKNOWN			NO SEWER	
230 WINCHESTER STREET	LAURIE BAUER		CESSPOOL	BASE LAV,LAUNDRY		8-30-01 P	
423 WINCHESTER STREET	ANNA FRASER	SAME	CESSPOOL			NO SEWER	
499 WINCHESTER STREET	PAUL CROWLEY		UNKNOWN			NO SEWER	
71 WOOD END ROAD	LEONARD DHERMAN		UNKNOWN			NO SEWER	
77 WOOD END ROAD	ESTHER GLUNTS		UNKNOWN			NO SEWER	
112 WOODBINE STREET	BARBARA PITTELS	SAME	CESSPOOL			07-Jul-03	
153 WOODCHESTER DRIVE	BERNARD GARBER					NO SEWER	
	LEONARD KRULEWICH		UNKNOWN			NO SEWER	
						INVALID ADDRESS	
MICSFT/EXCEL/TITLE 5 SYSTEMS	<u>s</u>						



City of Newton, Massachusetts Office of the Mayor

216-17

Telephone (617) 796-1100 Telefax (617) 796-1113 TDD

(617) 796-1089
E-mail
swarren@newtonma.gov

July 3, 2017

Honorable City Council Newton City Hall 1000 Commonwealth Avenue Newton Centre, MA 02459 David A. Olson, CMC Newton, MA 02459

Eswion Oity Class

Ladies and Gentlemen:

I write to request that your Honorable Council docket for consideration a request to approve "City of Newton – Public Buildings Department – Building Design and Construction Sustainability Guidelines"

In its decisions regarding design and construction of its buildings, the City strives to achieve the best balance among the City's objectives, such as building function, construction budget, energy efficiency, operating costs, siting, appearance, maintenance requirements, longevity, and flexibility for future needs.

This document is intended to guide decision-makers regarding the importance of sustainability in achieving the best balance among these objectives.

Thank you for your consideration of this matter.

Sincerely,

Setti D. Warren

Mayor

City of Newton — Public Buildings Department Building Design and Construction Sustainability Guidelines

Final Draft Approved by DRC 5/10/2017

A) Introduction and Summary

- 1) In its decisions regarding design and construction of its buildings, the City of Newton strives to reach the best balance among many goals. Key goals include building function, construction budget, operating costs, siting, appearance, maintenance requirements, longevity, and flexibility for future needs. This document is intended to guide decision-makers regarding the importance of sustainability in achieving the best balance among these objectives. These guidelines will be reviewed at least every three years and updated as technology developments and experience warrant.
- 2) Newton is a leader in the pursuit of a sustainable built environment. As it plans the construction and renovation of buildings, it will look beyond minimum regulatory standards and consider intelligent building strategies that will contribute to substantial long term conservation of natural resources and operational economies. For each building design project, in addition to meeting code requirements, the City will evaluate all cost effective features that reduce energy and other operational costs and minimize environmental impacts through the use of sustainable building materials and other strategies. This document will guide building siting, design, construction, and operations.
- 3) Newton's goal of a sustainable built environment is, to the extent possible, to
 - a. minimize the use of energy, water, and other resources
 - b. maximize the use of renewable sources to provide electricity and heat
 - maximize building longevity through rigorous design processes and quality-controlled construction
 - d. minimize environmental impacts of construction materials and methods
 - e. institute building operations and maintenance practices to minimize environmental impacts, achieve optimal performance and maximize occupant health and well being.
- 4) The City strives to minimize building energy use. To attain that goal, the City wants to develop a building design and operation approach that will reduce life cycle costs, demonstrate significant improvements over previous designs, help define a path to net zero, and educate the community regarding feasibility and value. The path to net zero includes reducing building energy use as much possible and maximizing the use of on-site renewable power and heat.
- 5) Components of these guidelines may be relaxed or modified by the Design Review Committee (DRC) to accommodate projects whose size or inherent nature make the component inapplicable.

B) Guidelines for Design Teams

1) Design Process Requirements

a. Newton requires its design teams to use an integrated design approach at all phases of the design process, especially in schematics and design development. Because reduction in energy consuming features and HVAC loads may also reduce the size and cost of other parts of the project, and because choice of building materials may impact durability of construction, Newton requires its consultants to identify all building features that can be affected, when making energy efficiency related decisions. (See the attached commentary by Josh Morse, Newton's Buildings Commissioner, regarding "Integrated Design Approach".)

b. During all phases of design

- 1. Refer to "lessons learned" list from Public Buildings Department
- 2. Evaluate Value Engineering options using life cycle cost analysis with full consideration of the impact on other building systems and components.
- 3. Value Engineering options that increase energy use require recommendation by the DRC
- 4. Continuously consider, propose and evaluate sustainability options
- 5. All budget estimates to include air infiltration testing

c. During Conceptual Design Phase

Provide a minimum of three options before completion of Conceptual Development Phase. These options will require creative interactive discussions among the design consultants. These analyses will address onsite alternative energy source options and consider funding sources beyond the established building budget. The City will explore budget sources for Options 2 and 3 before completion of Conceptual Design.

Option 1. Meets all codes and budget

Option 2. Reduces energy use to 30% below code requirements, with any budget implications

Option 3. Reduces energy use to net zero. If net zero is not feasible, show an option that reduces net energy use to the minimum feasible. Estimate budget implications.

d. During Schematic Design Phase

- 1. At the start of Schematics, the City will direct the design team regarding the major options developed in Conceptual Design.
- 2. The design team will develop options to improve sustainability within the parameters accepted in Conceptual Design. Evaluate life cycle costs of each option.

e. During Design Development Phase

- 1. The design team will develop options to improve sustainability within the parameters accepted in Schematic Design. Evaluate life cycle costs of each option.
- 2. Make provisions that enable future building modifications to improve sustainability.

- f. During Completion of Construction Drawings
 - 1. Develop options for commissioning building envelope construction
 - 2. Develop options for air infiltration testing
- g. Modeling for Large Projects. For projects of 20,000 square feet or more of gross floor area the design team is responsible for Building Energy Use Modeling using the following approach:
 - 1. Establish expected schedule of building use before completion of schematics
 - 2. As the design progresses, refine the model and complete energy model runs at Schematics, Design Development, and near completion of Construction Drawings. These models will be used to guide designers on how to achieve better energy conservation results and the impact of sustainability options being considered.
 - 3. For schools, evaluate the feasibility of reducing energy use by 5%, 10%, and 15% compared to the models of three recently completed Newton schools.
- 2) Certification and Ratings system requirements
 - a. Design teams are responsible to meet the following requirements. While LEED is presently the preferred benchmarking system the DRC may consider alternative indexes.
 - b. Projects of less than 20,000 sf shall meet the requirements of the most current applicable US Green Building Council (USGBC) Leadership in Energy and Environmental Design (LEED) Building Design and Construction (BD+C) building rating system at the level 'Certified' or better.
 - c. Projects of 20,000 square feet or more of gross floor area shall meet the requirements of either:
 - 1. The most current applicable LEED BD+C building rating system at the level 'Gold' or better. For twelve months from the time of adoption of a new version of LEED projects shall have the option to file under either the old or newly-adopted version.

OR

- 2. For schools, energy efficiency standards acceptable by the Massachusetts School Building Authority (MSBA) for additional reimbursement.
- d. To further support the design, construction, and operation of a project that meets Newton's requirements for energy, water, indoor environmental quality, and durability, provide for implementing the LEED BD+C Enhanced Commissioning requirements.
- e. The Design Review Committee may permit any project to conform to the certification system without actual participation in the formal process.

C) Guidelines for Designer Selection Committee

Consider the comparative capabilities and experience of design teams, including sub-consultants, to respond to these Guidelines as part of the designer selection criteria. Compare design teams' familiarity with recent sustainability achievements of similar buildings.

D) Guidelines for Public Buildings Department

- 1) Include these Guidelines in RFQs and contracts with Design Teams.
- 2) For all design projects, identify means to fund Life Cycle Cost-effective options that raise the cost higher than the established budget.
- 3) Maintain "lessons learned" list for use by design teams. Update this list after construction of each project and after one year of its occupancy. Semi-annually provide this list to the DRC. Among many other considerations, "lessons learned" shall include:
 - a. Evaluation of high performing windows used on recent projects
 - b. Evaluation of air barrier and insulating wall and roof assemblies used on recent projects
 - c. Evaluation of constructability of thermal break strategies in foundations and structural components on recent projects
 - d. Evaluation of HVAC and lighting approaches used on recent projects
 - e. Evaluation of building controls, management, monitoring and display functions
 - f. Evaluation of durability and performance of building materials
 - g. Evaluation of educational opportunities for users and the community
- 4) Two years after completion of projects larger than 20,000 sf, compare actual energy use to the building model, and include reasonable explanations for significant deviations, recommendations for performance improvements, and a plan to implement such improvements. Require re-measurement and review one year after substantial completion of any significant improvements.

Establish a formal "recommissioning" process to be completed by the third year of occupancy of buildings, and repeated every three years as follows:

- a. Projects of at least 10,000 sf of floor area but less than 20,000 sf shall meet the requirements of the most current applicable LEED Operations and Maintenance (O+M) building rating system at the level 'Certified' or better.
- b. Projects 20,000 sf or more shall meet the requirements of the most current applicable LEED O+M building rating system at the level 'Silver' or better.

Attachment: <u>Integrated Design Approach</u> From Josh Morse, Commissioner of Public Buildings

It is extremely important to ensure that every project utilize an integrated design approach. The concept may be new, but the logic has been around forever.

How big a rooftop air handling unit is required to heat a classroom? Simply calculate the heating load based on the building/classroom construction, and you know how to size the air handling unit. This is where most everyone stops. However, what happens if we were to tweak the design, and make the walls/windows of the classroom 5% more efficient? The next step would historically be to say that the investment in this is "y", and the payback is "x." The problem is that the ripple effect is far more significant and complex.

If the classroom is 5% more efficient, the air handling unit does not need to be as big. No different than if your house is more efficient, your boiler can be smaller. If the air handling unit is smaller, then it weighs less. If it weighs less, then you don't need as much structural steel and steel decking to support it. If you have less steel, then your total building weight is reduced. If your building weight it reduced, your foundation supporting the building can be reduced.

We're not done yet. If your air handling unit is reduced in size, then it does not need the same amount of heating hot water feeding it. That means that the size of the building boilers can be reduced. This means that the size of the hot water pumps pumping the hot water to the air handling units can be reduced. This means that the electrical lines feeding those pumps can be reduced in size. This means that the main electrical panels serving the building can be reduced in size. This means that the emergency generator and the transformer feeding the building can be reduced in size. This all means that the heating system will use less natural gas and electricity to operate.

Still not done. If the size of the air handling unit is reduced, then the fan motor in the unit is reduced, which means the electrical lines, panels, service, transformer, and generator all get reduced in size. If the air handling unit gets smaller, the ductwork traveling from it gets smaller, which means less weight, which means less steel, smaller foundations, etc.

But wait, there's still more. If the air handling unit is smaller, then it produces less noise. Less noise means less rooftop acoustical screening needed. Less screening means less weight on the roof, which means less steel, and smaller foundations.

There are many examples of this complex issue, and it really is not that complex. Keep in mind that this can also be done in reverse. You can set an energy target for your building project, and work backwards. Then the question becomes, how efficient must my building envelope and HVAC systems be in order to achieve a heating and cooling system that uses "x" amount of energy.

Draft June 29, 2017 page 5 of 6

Now the tricky part.

All of the above requires thinking far outside of the industry norms. This requires progressive and open-minded design professionals working as a cohesive unit. This will also require more effort, more time, and potentially more cost up front on a given project. However, the end result is not only a less expensive building to operate, but a less costly building to construct. This does not mean that every building investment will pan out. Some will just not make sense from a cost benefit analysis standpoint. However, you will never know which investments are worth the time or money, without an integrated design approach.

I will say that everything I described above is based on site energy data, and not source energy for the construction materials. The cost and environmental impacts of a smaller AHU, less steel, smaller electrical, smaller pumps, smaller transformers, generators, etc., are not insignificant. I really don't think we should get into source data, as it will really confuse folks, but it is real.

I will finish by saying that Integrated Design is the approach that NPB currently takes, but getting this on the record seems like a great idea.

CITY OF NEWTON

IN BOARD OF ALDERMEN

October 5, 2015

BE IT RESOLVED:

WHEREAS: Leaking gas in the ground is harmful to vegetation and can kill valuable shade trees by depriving roots of oxygen, and

WHEREAS: In the City of Newton alone there are 220 street trees that have been removed and 190 street trees damaged as a result of identified unrepaired gas leaks in Newton; and

WHEREAS: The cost of "Unaccounted for Gas" or "Lost and Unaccounted For Gas" is typically passed down from providers to consumers,

THEREFORE, BE IT RESOLVED, that the Board of Aldermen requests His Honor the Mayor that he on behalf of the City complement ongoing discussion with National Grid by preparing and filing litigation to recover damages and appropriate remediation and prevention relating to harm to City Trees from gas leaks from National Grid infrastructure.

Under Suspension of Rules

RESOLUTION Approved Unanimously

(SGD) DAVID A. OLSON, City Clerk



Newton Mothers Out Front Rachel Adler-Golden, Team Coordinator 617-527-8640

September 29, 2017

Newton City Council

Dear Councilors,

Newton Mothers Out Front requests your support for H.2683/S.1845 An Act Relative to Protecting Consumers of Gas and Electricity from Paying for Leaked and Unaccounted for Gas.

H.2683 https://malegislature.gov/Bills/190/SD1113
S.1845 https://malegislature.gov/Bills/190/H2683

All three of our Newton legislators, Representative Ruth Balser, Representative Kay Khan, and Senator Cynthia Creem are cosponsors of this legislation.

This bill is urgently needed now because:

- Reports that utilities are required to submit to the DPU every year show little progress in reducing leaks or replacing leaking infrastructure.
- Ratepayers are still paying for that lost gas, especially in Newton where we have hundreds of unrepaired leaks.
 See http://tinyurl.com/NewtonLeaksMap
- We need this legislation to make sure that utilities are motivated to find and fix the largest leaks first.
- This bill requires utilities to use the most effective methods to measure methane and to know which leaks should be prioritized for repair.

Thank you for your attention to this matter. Best regards,

Ellie Goldberg, 79 Elmore Street, Newton 02459 | 617-965-9637 on behalf of Newton Mothers Out Front

Newton, Massachusetts Resolution in Support of <u>H.2683/S.1845</u> An Act Relative to Protecting Consumers of Gas and Electricity from Paying for Leaked and Unaccounted for Gas

WHEREAS: H.2683/S.1845 is an important piece of legislation designed to protect consumers from being charged for leaked and unaccounted for natural gas, and this bill would be of great value to Newton residents, businesses, and the City. It is now before the Joint Committee of Telecommunications, Utilities and Energy, and WHEREAS: This bill is designed to protect customers while providing an economic incentive to providers to mitigate loss, stimulate development of improved technology and practices as well as help reduce heat-trapping methane released during transportation, distribution and storage which will help reduce global warming. WHEREAS: the numerous ongoing gas leaks in Newton present threats to public health and safety, public and private shade trees, damage to road work recently completed, etc. Now therefore be it RESOLVED: That the Newton City Council go on record in support of H.2683/S.1845 An Act Relative to Protecting Consumers of Gas and Electricity from Paying for Leaked and Unaccounted for Gas; and be it further RESOLVED: That the City Clerk be and hereby is requested to forward suitably engrossed copies of this resolution to the members of the elected Newton delegation in the House and Senate as well as House Speaker Robert DeLeo and Senate President Stanley Rosenberg on behalf of the entire Board of Selectmen.





WHY GAS LEAKS MATTER

Natural gas is leaking near many of our homes, schools, & businesses in Massachusetts 24/7.

• Some pipelines under our streets are over 100 years old and were laid down after the Civil War.

Natural gas is 95% methane, a potent greenhouse gas.

Methane traps 86 times more heat than carbon dioxide for the first 20 years. (2013 IPCC report)

Gas leaks erase all our progress to reduce greenhouse gas:

- Gas leaks are equivalent to 10% of our emissions. (2015 PNAS Harvard/Boston University McKain study)
- Gas leaks are not counted in our state Greenhouse Gas Emissions Inventory. When they are, they wipe out all our efficiency & conservation efforts to date.

You pay for gas leaks!

- Utilities pass on the cost of this waste to us as ratepayers.
- We pay up to \$135 million every year in Massachusetts. (2013 Sen. Markey study)
- In the Boston area alone, the value of lost gas amounts to \$90 million, enough to heat 200,000 homes. (2015 PNAS Harvard/Boston University McKain study)

Support H.2683 / S.1845: The Consumer Cost Protection Bill

An Act Relative to Protecting Consumers of Gas and Electricity from Paying for Leaked and Unaccounted for Gas

Twelve other states have caps on how much customers pay for lost and leaking gas:

- Connecticut, California, Pennsylvania, Texas, New York, Ohio, and West Virginia have statutes or regulations that explicitly discuss lost and unaccounted for (LAUF) gas.
- Arizona, Idaho, Kansas, Kentucky, Louisiana, and New Hampshire have incorporated restrictions on LAUF gas recovery into Purchased Gas Adjustment proceedings before state public utilities commissions (PUCs).
- Texas reduced its inventory of leak-prone services by an impressive 55% over the two years spanning 2011 to 2013 after passing legislation.

Numbers, volume and explosive risk of gas leaks are underestimated in MA. MOTHERS OUT FRONT

We are mothers, grandmothers, and others who can no longer be silent about the real danger that climate change poses to the future of our children and grandchildren. For more information, please visit our website at www.mothersoutfront.org.

- A 2016 BU study found 7% of leaks are gushing 50% of the gas. Finding and fixing these leaks could solve half the problem. (Environ. Poll, Hendrick et al.)
- The same BU study also found 15% of leaks were misclassified as safe, but are potentially explosive. (Environmental Pollution, Hendrick et al.)
- A 2013 BU study found more than twice the number of gas leaks than were reported by utilities. (Environmental Pollution, Phillips et al.)
- A 2016 study found 1.7 times more leaks than reported by utilities. (MAPC/HEET)
- A 2015 Harvard study found methane levels 2-3 times worse than estimated by regulators. (Proceedings of NAS, McKain et al.)
- Utilities are working with Mothers Out Front and our allies to identify and fix "super-emitters", the biggest & most environmentally damaging methane leaks.

Natural gas is a bridge fuel to nowhere for Massachusetts: More pipelines and fracked gas would bring extra burdens—all at our risk and cost as taxpayers, customers, and citizens.

"...No additional pipeline gas capacity is needed to meet electric reliability needs" (2015 MA Attorney General Maura Healey's report)

"Under business-as-usual circumstances, the region can maintain electric reliability through 2030, even without additional new natural gas pipelines. Even under a "stressed system" scenario, there are cheaper, less carbon intensive ways to ensure electric reliability, like energy efficiency and demand response, that are less risky for ratepayers."

"Shrinking Need for Natural Gas"

(2016 Synapse study)

"Our findings show that any savings created by the Access NE pipeline will be outweighed by its costs, which are more than twice what the proponents have generally reported. We have also determined that the need for natural gas in New England will decrease dramatically within a few years of Access NE's construction, alleviating the capacity constraints cited to justify the pipeline."

WHAT YOU CAN DO

We need to #FixBigGasLeaks and fast.

- Call your local gas company
- Encourage your town's DPW to go to <u>Fixourpipes.Org</u> and learn how much money can be saved when towns coordinate road work with utility companies.
- Call your State Senator to support Senate Bill:
 Senate bill S.1845 The gas leaks consumer cost protection bill filed by Sen. Eldridge, Acton.
- Call your State Representative to support House Bill H.2683 The gas leaks consumer cost protection bill filed by Rep. Barber, Somerville.
- Get on the MOTHERS OUT FRONT email list

To see an interactive map of gas leaks, visit www.squeakyleak.org. The map is provided by Home Energy Efficiency Team (HEET) at heetma.org.



City of Newton, Massachusetts Office of the Mayor

300-17

Telephone (617) 796-1100

Facsimile (617) 796-1113
TDD/TTY (617) 796-1089

E-mail swarren@newtonma.gov

Honorable City Council Newton City Hall 1000 Commonwealth Avenue Newton, MA 02459

Ladies and Gentlemen:

I am pleased to reappoint Marian Rambelle, of 2 Harrington Street, Newton as a member of the Solid Waste Commission. Her term of office shall expire on October 31, 2020 and her appointment is subject to your confirmation.

Thank your for your attention to this matter.

Very truly yours,

Setti D. Warren

Mayor

Newton City Clerk

2017 SEP -8 AM 9: 11

David A. Olson, CMC

Newton MA O. CMC