

# UNION TWIST DISPENSARY

1158 BEACON STREET, NEWTON, MA

**PERMITTING PLANS**

OCTOBER 23, 2019

REVISED AUGUST 25, 2020

PREPARED FOR

**UNION TWIST, INC.**

1 INTERNATIONAL PL #3700  
BOSTON, MA 02110

PREPARED BY



**FUSS & O'NEILL**

108 MYRTLE STREET, SUITE 502  
QUINCY, MA 02171  
617.282.4675  
www.fando.com

## SHEET INDEX

<u>SHEET No.</u>	<u>SHEET TITLE</u>
GI-001	COVER SHEET
CN-101	GENERAL NOTES
GI-100	CONTEXT MAP
SHEET 1 OF 1	BOUNDARY & TOPOGRAPHIC SURVEY BY CONTROL POINT ASSOCIATES
CP-101	SITE PREPARATION PLAN
CE-101	EROSION AND SEDIMENT CONTROL PLAN
CS-101	SITE LAYOUT PLAN
CG-101	GRADING AND DRAINAGE PLAN
LP-101	SITE LANDSCAPING PLAN
CD-501	EROSION AND SEDIMENT CONTROL DETAILS
CD-502-506	SITE DETAILS
SL-101	SITE PHOTOMETRIC PLAN

## PROJECT TEAM

ARCHITECT

BKA ARCHITECTS INC.  
344 BOYLSTON STREET  
BOSTON, MA 02116  
508-728-3853

LAND SURVEYOR

CONTROL POINT ASSOCIATES  
45 FRANKLIN STREET 5TH FLOOR  
BOSTON, MA 02110  
857-400-3311



**LOCATION MAP**

SCALE: 1" = 200'



**GENERAL**

- SYMBOLS AND LEGENDS OF PROJECT FEATURES ARE GRAPHIC REPRESENTATIONS AND ARE NOT NECESSARILY SHOWN ON THE DRAWINGS TO SCALE OR TO THEIR ACTUAL DIMENSION OR LOCATION. COORDINATE DETAIL SHEET DIMENSIONS, MANUFACTURERS' LITERATURE, SHOP DRAWINGS AND FIELD MEASUREMENTS OF SUPPLIED PRODUCTS FOR LAYOUT OF THE PROJECT FEATURES.
- DO NOT RELY SOLELY ON ELECTRONIC VERSIONS OF DRAWINGS, SPECIFICATIONS, AND DATA FILES THAT ARE PROVIDED BY THE ENGINEER. FIELD VERIFY LOCATION OF PROJECT FEATURES.
- PERFORM NECESSARY CONSTRUCTION NOTIFICATIONS, APPLY FOR AND OBTAIN NECESSARY PERMITS, PAY FEES, AND POST BONDS ASSOCIATED WITH THE WORK AS REQUIRED BY THE CONTRACT DOCUMENTS.
- SEE ARCHITECTURAL DRAWINGS FOR DIMENSIONS OF BUILDINGS AND ADJACENT SITE ELEMENTS INCLUDING SIDEWALKS, RAMPS, BUILDING ENTRANCES, STAIRWAYS, UTILITY PENETRATIONS, CONCRETE DOOR PADS, COMPACTOR PAD, LOADING DOCKS, BOLLARDS, ETC.
- BASE PLAN: OBTAINED FROM A PLAN ENTITLED "BOUNDARY & TOPOGRAPHIC SURVEY", PREPARED BY CONTROL POINT ASSOCIATES INC., DATED 04/01/19.
- TOPOGRAPHIC ELEVATIONS ARE BASED ON NAVD88.
- FLOOD ZONE: THE SUBJECT SITE LIES WITHIN ZONE X, AN AREA DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN, PER FLOOD INSURANCE RATE MAP (FIRM) PANEL NO. 25017C0554E, EFFECTIVE DATE JUNE 4, 2010.
- AN APPROVED SET OF PLANS AND ALL APPLICABLE PERMITS MUST BE AVAILABLE FOR INSPECTION AT THE CONSTRUCTION SITE AT ALL TIMES.

**WORK RESTRICTIONS**

- DO NOT CLOSE OR OBSTRUCT ROADWAYS, SIDEWALKS, FIRE HYDRANTS, AND UTILITIES WITHOUT APPROPRIATE PERMITS.
- WORK IS RESTRICTED TO THE HOURS OF 7 AM TO 5 PM ON MONDAY THROUGH FRIDAY, EXCLUDING HOLIDAYS, UNLESS OTHERWISE APPROVED BY THE OWNER.

**REGULATORY REQUIREMENTS**

- WITHIN RIGHTS-OF-WAY, PERFORM THE WORK IN ACCORDANCE WITH LOCAL MUNICIPAL STANDARDS.
- AT A MINIMUM, CONSTRUCT ACCESSIBLE ROUTES, PARKING SPACES, RAMPS, SIDEWALKS AND WALKWAYS IN CONFORMANCE WITH THE FEDERAL AMERICANS WITH DISABILITIES ACT AND WITH STATE AND LOCAL LAWS AND REGULATIONS (WHICHEVER ARE MORE STRINGENT).
- TRAFFIC SIGNAGE AND PAVEMENT MARKINGS SHALL CONFORM TO THE LATEST EDITION OF THE MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.
- SECURE THE PROJECT SITE AND PERFORM CONSTRUCTION ACTIVITIES IN ACCORDANCE WITH OSHA STANDARDS AND LOCAL REQUIREMENTS.
- DISPOSE OF DEMOLITION DEBRIS IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS, ORDINANCES AND STATUTES.
- ALL TRENCH EXCAVATION SHALL COMPLY WITH MASSACHUSETTS GENERAL LAW CHAPTER 82A, TRENCH EXCAVATION SAFETY REQUIREMENTS, AND OSHA STANDARDS TO PROTECT THE GENERAL PUBLIC FROM UNAUTHORIZED ACCESS TO UNATTENDED TRENCHES OR EXCAVATIONS. TRENCH EXCAVATION PERMIT IS REQUIRED FOR ALL TRENCHES ON PUBLIC AND PRIVATE PROPERTY PRIOR TO ANY CONSTRUCTION.
- ALL TREE REMOVAL SHALL COMPLY WITH THE CITY OF NEWTON TREE ORDINANCE

**DEMOLITION**

- THE DEMOLITION PLAN IS PROVIDED FOR INFORMATION ONLY AND MAY NOT INDICATE ALL ITEMS REQUIRED TO BE DEMOLISHED. PERFORM A PRE-BID SITE INSPECTION. COORDINATE DEMOLITION OF UNIDENTIFIED UTILITIES OR STRUCTURES WITH OWNER. DEMOLISH STRUCTURES, SITE IMPROVEMENTS, UTILITIES, ETC. AS REQUIRED TO CONSTRUCT PROPOSED FACILITY AND UTILITY SERVICES.
- TREES, BRUSH AND STUMPS REMOVED BY CLEARING & GRUBBING OPERATIONS SHALL BE TRANSPORTED OFF THE PROJECT SITE TO AN APPROVED DISPOSAL LOCATION.
- ITEMS TO BE STOCKPILED ON-SITE FOR REUSE OR TO BE RELOCATED SHALL BE PROTECTED FROM CONSTRUCTION OPERATIONS. IF DAMAGED DURING CONSTRUCTION THEY SHALL BE REPLACED IN-KIND AT NO ADDITIONAL COST TO THE OWNER.
- REFER TO ARCHITECTURAL PLANS FOR BUILDING DEMOLITION AND PROTECTION REQUIREMENTS.

**EARTHWORK**

- NOTIFY THE FOLLOWING AT LEAST 72 HOURS BEFORE STARTING EXCAVATION EXCLUSIVE OF WEEKENDS AND HOLIDAYS.  
 "DIG SAFE" AT 1-888-344-7233.
- WITHIN THE LIMITS OF THE BUILDING FOOTPRINT, PERFORM EARTHWORK OPERATIONS TO SUBGRADE ELEVATIONS. SEE DRAWINGS BY OTHERS FOR WORK ABOVE SUBGRADE.

**UTILITIES**

- THE CONTRACTOR IS RESPONSIBLE FOR CONTACTING THE CITY OF NEWTON DEPARTMENT OF PUBLIC WORKS - ENGINEERING DIVISION TO SCHEDULE AN APPOINTMENT AT LEAST 48 HOURS BEFORE UTILITIES WILL BE MADE AVAILABLE FOR AN INSPECTION OF WATER SERVICES, SEWER SERVICES AND DRAINAGE SYSTEM INSTALLATION. THE UTILITY IN QUESTION SHALL BE FULLY EXPOSED FOR THE CITY'S INSPECTOR TO VIEW. BACKFILLING SHALL ONLY TAKE PLACE WHEN THE CITY INSPECTOR HAS GIVEN THEIR APPROVAL.

**CONSTRUCTION LAYOUT**

- PROVIDE PROPER TRANSITIONS BETWEEN EXISTING AND PROPOSED SITE IMPROVEMENTS. FIELD VERIFY EXISTING PAVEMENT AND GROUND ELEVATIONS AT THE INTERFACE WITH PROPOSED PAVEMENTS AND DRAINAGE STRUCTURES BEFORE START OF CONSTRUCTION.
- PRIOR TO ORDERING MATERIALS AND BEGINNING CONSTRUCTION, FIELD VERIFY PROPOSED UTILITY ROUTES AND IDENTIFY ANY INTERFERENCES OR OBSTRUCTIONS WITH EXISTING UTILITIES OR PUBLIC RIGHTS-OF-WAY.
- IMMEDIATELY INFORM THE ENGINEER IN WRITING IF EXISTING UTILITY CONDITIONS CONFLICT OR DIFFER FROM THAT INDICATED AND IF THE WORK CANNOT BE COMPLETED AS INDICATED.
- DIMENSIONS ARE FROM FACE OF CURB, FACE OF BUILDING, FACE OF WALL, AND CENTER LINE OF PAVEMENT MARKINGS, UNLESS NOTED OTHERWISE.
- BOUNDS OR MONUMENTATION DISTURBED DURING CONSTRUCTION SHALL BE SET OR RESET BY A PROFESSIONAL LICENSED SURVEYOR.

**EROSION AND SEDIMENT CONTROL**

- DISTURBANCE OF SOIL SURFACES IS REGULATED BY STATE LAW AND LOCAL ORDINANCE. WORK SHALL COMPLY WITH THE FOLLOWING CRITERIA TO PREVENT OR MINIMIZE SOIL EROSION.
- INSTALL, INSPECT, MAINTAIN, AND REPAIR OR REPLACE TEMPORARY AND PERMANENT EROSION CONTROL DEVICES TO ENSURE PROPER OPERATION IN A TIMELY MANNER THROUGHOUT THE LIFE OF THE PROJECT. MAINTAIN PERMANENT MEASURES UNTIL CONSTRUCTION OF THE PROJECT IS COMPLETED OR UNTIL IT IS ACCEPTED BY THE OWNER. DISPOSE OF SEDIMENT IN AN UPLAND AREA.
- INSPECT EROSION AND SEDIMENT CONTROLS DAILY AND REMOVE ACCUMULATED SEDIMENTS AS NEEDED. REPAIR OR CORRECT ANY ISSUES.
- MAINTAIN A STOCKPILE OF ADDITIONAL EROSION AND SEDIMENT CONTROL DEVICES ON SITE AT ALL TIMES. AT A MINIMUM, MAINTAIN A STOCKPILE OF AT LEAST 100 FEET OR 10% OF THE TOTAL AMOUNT OF DEVICES CURRENTLY DEPLOYED AT THE SITE, WHICHEVER IS GREATER.
- CLEAN ROADS, CONTROL DUST, AND TAKE NECESSARY MEASURES TO ENSURE THAT THE SITE AND ALL ROADS BE MAINTAINED IN A MUD- AND DUST-FREE CONDITION AT ALL TIMES THROUGHOUT THE LIFE OF THE CONTRACT. DUST CONTROL SHALL INCLUDE, BUT IS NOT LIMITED TO, WATER AND/OR CRUSHED STONE OR COARSE GRAVEL, SUBJECT TO THE APPROVAL OF THE ENGINEER.
- INSTALL PERIMETER SEDIMENT CONTROL BARRIERS AS SHOWN ON THE SITE PLANS OR AS MAY BE REQUIRED TO PREVENT SEDIMENT FLOW TO STORM DRAINS OR SURFACE WATERS. A ROW OF STAKED HAYBALES OR A SILT FENCE SHALL ALSO BE INSTALLED AROUND ANY SOIL STOCKPILE AREAS. CLEANOUT OF ACCUMULATED SEDIMENT BEHIND PERIMETER SEDIMENT CONTROL BARRIER IS NECESSARY IF ONE-HALF THE ORIGINAL HEIGHT OF THE BARRIER BECOMES FILLED WITH SEDIMENT. REPLACE BARRIER IMMEDIATELY IF BARRIER DECOMPOSED OR BECOMES INEFFECTIVE.
- PERFORM CONSTRUCTION SEQUENCING IN SUCH A MANNER TO CONTROL EROSION AND TO MINIMIZE THE TIME THAT EARTH MATERIALS ARE EXPOSED BEFORE THEY ARE COVERED, SEEDED, OR OTHERWISE STABILIZED.
- IF FINAL GRADING IS TO BE DELAYED FOR MORE THAN THIRTY (30) DAYS AFTER LAND DISTURBANCES CEASE, TEMPORARY VEGETATION OR MULCH SHALL BE USED TO STABILIZE SOILS. OUTSIDE OF THE GROWING SEASON, ONLY WOOD MULCH SHALL BE USED.
- PERMANENT VEGETATIVE COVER SHALL BE APPLIED TO ALL DISTURBED AREAS THAT HAVE REACHED FINISHED GRADE AS SOON AS POSSIBLE, BUT NOT MORE THAN FOURTEEN (14) DAYS AFTER THE CONSTRUCTION ACTIVITY IN THAT AREA HAS PERMANENTLY CEASED. THE RECOMMENDED PERMANENT SEEDING DATES ARE APRIL 1 TO JUNE 15 AND AUGUST 15 TO SEPTEMBER 30.  
  
LIMESTONE AND FERTILIZER SHALL BE APPLIED ACCORDING TO SOIL TEST RECOMMENDATIONS OFFERED BY THE UNIVERSITY OF MASSACHUSETTS SOIL TESTING LABORATORY. IF SOIL TESTING IS NOT FEASIBLE ON SMALL OR VARIABLE SITES, OR WHERE TIMING IS CRITICAL, FERTILIZER MAY BE APPLIED AT THE RATE OF 500 POUNDS PER ACRE OR 11.5 POUNDS PER 1,000 SQUARE FEET OF 10-20-20 OR EQUIVALENT. APPLY LIMESTONE (EQUIVALENT TO 50 PERCENT CALCIUM PLUS MAGNESIUM OXIDE) AS FOLLOWS: 4 TONS PER ACRE (OR 180 POUNDS PER 1,000 SQUARE FEET) FOR CLAY, CLAY LOAM AND HIGH ORGANIC SOIL; 3 TONS PER ACRE (OR 135 POUNDS PER 1,000 SQUARE FEET) FOR SANDY LOAM, LOAM, OR SILT LOAM; AND 2 TONS PER ACRE (OR 90 POUNDS PER 1,000 SQUARE FEET) LOAMY SAND OR SAND.
- EXISTING OR PROPOSED STORMWATER DRAINAGE STRUCTURES THAT MAY BE SUBJECT TO SEDIMENTATION SHALL BE PROTECTED WITH STAKED STRAW BALES, WATTLES, SILT FENCE, SILT SACKS, OR OTHER APPROVED MEASURES THROUGHOUT THE ENTIRE CONSTRUCTION PERIOD.
- WASTE DISPOSAL: MATERIALS WHICH COULD BE A POTENTIAL SOURCE OF STORMWATER POLLUTION SUCH AS GASOLINE, DIESEL FUEL, HYDRAULIC OIL, ETC., SHALL BE STORED AT THE END OF EACH DAY IN A STORAGE TRAILER OR COVERED LOCATION AND TAKEN OFF-SITE AND PROPERLY DISPOSED OF. ALL TYPES OF WASTE GENERATED AT THIS SITE SHALL BE DISPOSED OF IN A MANNER CONSISTENT WITH STATE LAW AND/OR REGULATIONS.
- GOOD HOUSEKEEPING: THE PROJECT SITE SHALL PROVIDE FOR THE MINIMIZATION OF EXPOSURE OF CONSTRUCTION DEBRIS (INCLUDING, BUT NOT LIMITED TO, INSULATION, WIRING, PAINTS AND PAINT CANS, SOLVENTS, WALL BOARD, ETC.) TO PRECIPITATION BY MEANS OF DISPOSAL AND/OR PROPER SHELTER OR COVER. CONSTRUCTION WASTE MUST BE PROPERLY DISPOSED OF IN ORDER TO AVOID EXPOSURE TO PRECIPITATION AT THE END OF EACH WORKING DAY.
- UPON COMPLETION OF CONSTRUCTION AND ESTABLISHMENT OF PERMANENT GROUND COVER, REMOVE AND DISPOSE OF TEMPORARY EROSION CONTROL MEASURES. CLEAN SEDIMENT AND DEBRIS FROM TEMPORARY MEASURES AND FROM PERMANENT STORM DRAIN AND SANITARY SEWER SYSTEMS.

**SITE RESTORATION**

- PROVIDE 6 INCHES OF TOPSOIL AND SEED IN AREAS DISTURBED DURING CONSTRUCTION AND NOT DESIGNATED AS IMPERVIOUS SURFACES (BUILDINGS, PAVEMENTS, WALKS, ETC.) UNLESS OTHERWISE NOTED. SUPPLEMENT EXISTING TOPSOIL WITH IMPORTED TOPSOIL AS REQUIRED TO ACHIEVE DEPTH.
- REPAIR DAMAGES RESULTING FROM CONSTRUCTION LOADS, AT NO ADDITIONAL COST TO OWNER.
- RESTORE AREAS DISTURBED BY CONSTRUCTION OPERATIONS TO THEIR ORIGINAL CONDITION OR BETTER, AT NO ADDITIONAL COST TO OWNER.


**PLANTING**

- ALL PLANTING MATERIAL TO BE NURSERY GROWN STOCK SUBJECT TO A.A.N. STANDARDS.
- SUPPLY ALL PLANTS IN QUANTITIES SUFFICIENT TO COMPLETE THE WORK SHOWN ON THE DRAWINGS AND LISTED IN THE PLANT LIST. IN THE EVENT OF A DISCREPANCY BETWEEN QUANTITIES SHOWN IN THE PLANT LIST AND THOSE REQUIRED BY THE DRAWINGS, THE LARGER NUMBER SHALL APPLY.
- ALL PLANTS SHALL BE APPROVED PRIOR TO INSTALLATION AND SHALL BE LOCATED ON SITE FOR THE APPROVAL OF THE LANDSCAPE ARCHITECT. ANY INSTALLATIONS WHICH WERE NOT APPROVED BY THE LANDSCAPE ARCHITECT AND WHICH ARE SUBSEQUENTLY REQUESTED TO BE MOVED WILL BE DONE AT NO EXPENSE TO THE OWNER.
- PRECISE LOCATION OF ITEMS NOT DIMENSIONED ON THE PLAN ARE TO BE FIELD STAKED AND SHALL BE SUBJECT TO THE REQUIREMENTS SPECIFIED IN THE PREVIOUS NOTE.
- ALL SHRUB MASSINGS AND TREE PITS SHALL BE MULCHED TO A DEPTH OF 3" WITH SHREDDED PINE BARK MULCH.
- TREES SHALL NOT BE STAKED UNLESS OTHERWISE NOTED.
- ANY DAMAGED VEGETATION SHALL BE REPLACED OR REPAIRED AT NO EXPENSE TO THE OWNER.
- ALL SHRUB AND GROUND COVER PLANTING AREAS SHALL HAVE CONTINUOUS BEDS OF TOPSOIL 12" THICK.
- WHERE PLANT MATERIAL MAY INTERFERE WITH UTILITIES, NOTIFY THE LANDSCAPE ARCHITECT TO COORDINATE THEIR INSTALLATION.
- FOR PLANTING SOIL MIX, SEE SPECIFICATIONS OR PLANTING DETAILS.
- ALL EXISTING RILL, GULLY OR CHANNEL EROSION SHALL BE FILLED WITH APPROPRIATE SOIL MATERIALS, FINE RAKED, SCARIFIED AND STABILIZED WITH VEGETATION, AND/OR EROSION AND SEDIMENTATION CONTROLS.
- ADJUSTMENTS TO THE LOCATION OF THE PROPOSED PLANT MATERIALS AS A RESULT OF CONFLICTS WITH EXISTING VEGETATION TO REMAIN SHALL BE APPROVED BY THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.
- MAINTAIN, REPLACE, AND REPAIR PLANT MATERIAL AS REQUIRED, FOR THE DURATION OF THE PROJECT AND SUBSEQUENT WARRANTY PERIOD.
- UPON COMPLETION OF PLANTING, REMOVE FROM SITE ALL EXCESS SOIL, MULCH, AND MATERIALS AND DEBRIS RESULTING FROM WORK OPERATIONS. CLEAN UP SHOULD BE COMPLETED AT THE END OF EACH WORKING DAY. RESTORE TO ORIGINAL CONDITIONS ALL DAMAGED PAVEMENTS, PLANTING AREAS, STRUCTURES AND LAWN AREAS RESULTING FROM LANDSCAPING OPERATIONS.
- SURVEY, LOCATE, AND PROTECT ALL TREES WITHIN AREAS SHOWN AS "EXISTING VEGETATION TO REMAIN" WITHIN THE DEVELOPMENT ENVELOPE FOR REVIEW BY LANDSCAPE ARCHITECT PRIOR TO CLEARING OPERATIONS.
- ALL DISTURBED AREAS ARE TO BE SEEDED WITH LAWN UNLESS OTHERWISE NOTED ON LANDSCAPE PLAN.
- PLANT MATERIAL WITHIN TRAFFIC SIGHT LINES AT INTERSECTIONS TO BE LESS THAN 3 FEET IN HEIGHT AND TREES ARE TO BE LIMBED UP TO A BRANCHING HEIGHT OF AT LEAST 7 FEET.
- TREES ALONG SIDEWALKS TO BE LIMBED TO A HEIGHT OF 7-8 FEET ABOVE GROUND.

**CLOSEOUT**

- BEFORE REQUESTING A CERTIFICATE OF OCCUPANCY, AN AS-BUILT PLAN SHALL BE SUBMITTED TO THE CITY OF NEWTON DEPARTMENT OF PUBLIC WORKS - ENGINEERING DIVISION IN BOTH DIGITAL AND PAPER FORMAT. THE PLAN SHALL SHOW ALL UTILITIES AND FINAL GRADES, ANY EASEMENTS AND IMPROVEMENTS AND LIMITS OF RESTORATION. THE PLAN SHALL INCLUDE PROFILES OF THE VARIOUS NEW UTILITIES INCLUDING BUT NOT LIMITED TO RIM & INVERT ELEVATIONS (CITY OF NEWTON DATUM), SLOPES OF PIPES, PIPE MATERIALS, AND SWING TIES FROM PERMANENT BUILDING CORNERS. THE AS-BUILT SHALL BE STAMPED BY BOTH A MASSACHUSETTS REGISTERED PROFESSIONAL ENGINEER AND REGISTERED PROFESSIONAL LAND SURVEYOR. UPON RECEIPT OF THE AS-BUILT PLAN, THE ENGINEERING DIVISION SHALL PERFORM A FINAL SITE INSPECTION AND MAKE A DETERMINATION TO ISSUE A CERTIFICATE OF OCCUPANCY.
- ALL SITE WORK INCLUDING TRENCH RESTORATION, SIDEWALK, CURB APRON AND LOAM BORDER (WHERE APPLICABLE) SHALL BE COMPLETED BEFORE A CERTIFICATE OF OCCUPANCY IS ISSUED.

No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	07/27/2020	DRAINAGE REVISION		
2.	5/6/2020	SITE PLAN APPROVAL SUBMISSION		
3.	6/22/2020	TOWN MEETING COMMENTS		
4.	8/25/2020	TOWN COMMENTS		
			KT	
			JEV	
			JEV	
			JEV	



**FUSS & O'NEILL**  
 108 MYRTLE STREET, SUITE 502  
 QUINCY, MA 02171  
 (417) 283-4673  
 www.fuss.com

UNION TWIST, INC.  
 GENERAL NOTES  
 1158 BEACON STREET  
 NEWTON  
 MASSACHUSETTS

PROJ. No.: 20190241.A30  
 DATE: 10/25/2019


**CN-101**





<p>UNION TWIST, INC.          CONTEXT MAP          1158 BEACON STREET          NEWTON, MASSACHUSETTS</p>		<p><b>FUSS &amp; O'NEILL</b>          108 MYRTLE STREET, SUITE 502          CHARLESTON, MA 02111          617.283.4473          www.fussandoneill.com</p>																					
<p>SCALE: HORIZ.: 1" = 150'          VERT.: 1" = 150'          DATUM: NAD 83          HORIZ.: 1" = 150'          VERT.: 1" = 150'          150 75 0 150          GRAPHIC SCALE</p>		<p>NO. DATE DESCRIPTION DESIGNER REVIEWER</p> <table border="1"> <tr> <td>1.</td> <td>01/27/2020</td> <td>DRAINAGE REVISION</td> <td>JEV</td> <td>SMM</td> </tr> <tr> <td>2.</td> <td>5/6/2020</td> <td>SITE PLAN APPROVAL SUBMISSION</td> <td>JEV</td> <td>SMM</td> </tr> <tr> <td>3.</td> <td>6/22/2020</td> <td>TOWN MEETING COMMENTS</td> <td>JEV</td> <td>SMM</td> </tr> <tr> <td>4.</td> <td>8/25/2020</td> <td>TOWN COMMENTS</td> <td>KT</td> <td>SMM</td> </tr> </table>		1.	01/27/2020	DRAINAGE REVISION	JEV	SMM	2.	5/6/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM	3.	6/22/2020	TOWN MEETING COMMENTS	JEV	SMM	4.	8/25/2020	TOWN COMMENTS	KT	SMM
1.	01/27/2020	DRAINAGE REVISION	JEV	SMM																			
2.	5/6/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM																			
3.	6/22/2020	TOWN MEETING COMMENTS	JEV	SMM																			
4.	8/25/2020	TOWN COMMENTS	KT	SMM																			
<p>PROJECT No.: 20190241A30          DATE: 10/25/2019</p>		<p><b>GI-100</b></p>																					






LOCUS MAP  
© 2013 ESRI WORLD STREET MAPS  
NOT TO SCALE



- LEGEND**
- 12M --- EXISTING CONTOUR
  - X 123.45 EXISTING SPOT ELEVATION
  - X TC 123.45 EXISTING TOP OF CURB ELEVATION
  - X G 122.85 EXISTING GUTTER ELEVATION
  - X TW 123.45 EXISTING TOP OF WALL ELEVATION
  - X BW 122.85 EXISTING BOTTOM OF WALL ELEVATION
  - X DS 123.45 EXISTING DOOR SILL ELEVATION
  - HYDRANT
  - WATER VALVE
  - WM WATER METER
  - GV GAS VALVE
  - GM GAS METER
  - OW OVERHEAD WIRES
  - G APPROX. LOC. UNDERGROUND GAS LINE
  - W APPROX. LOC. UNDERGROUND WATER LINE
  - UP # UTILITY POLE
  - UPLP UTILITY POLE/LIGHT POLE
  - GW GUY WIRE
  - C/O CLEAN OUT
  - SIGN
  - AC AIR CONDITIONING UNIT
  - BOLLARD
  - DMH DRAINAGE/STORM MANHOLE
  - SMH SANITARY/SEWER MANHOLE
  - CB CATCH BASIN OR INLET
  - PC PARKING SPACE COUNT
  - UG UNDER GROUND
  - CLF CHAIN LINK FENCE
  - EOC EDGE OF CONCRETE
  - EOP EDGE OF PAVEMENT
  - (TYP) TYPICAL
  - RCP REINFORCED CONCRETE PIPE
  - PVC POLYVINYL CHLORIDE PIPE
  - VCP VITRIFIED CLAY PIPE
  - DYL DOUBLE YELLOW LINE
  - SWL SOLID WHITE LINE
  - SYL SOLID YELLOW LINE
  - HT HEIGHT
  - BLDG BUILDING
  - BFPM BUILDING FOOTPRINT AREA
  - SBFH STONE BOUND w/DRILL HOLE
  - LO' OFFSET OF STRUCTURE AT GROUND LEVEL RELATIVE TO PROPERTY LINE
  - INV INVERT ELEVATION
  - GRY GRATE ELEVATION
  - AC ASPHALT CURB
  - VGC VERTICAL GRANITE CURB
  - WGR WOODEN GUIDE RAIL



- NOTES:**
- PROPERTY KNOWN AS LOT 48A, BLOCK 22 AS SHOWN ON THE CITY OF CITY OF NEWTON, MIDDLESEX COUNTY, COMMONWEALTH OF MASSACHUSETTS MAP NO. 54.
  - AREA = 20,000 SQUARE FEET OR 0.459 ACRES.
  - LOCATION OF UNDERGROUND UTILITIES ARE APPROXIMATE. LOCATIONS AND SIZES ARE BASED ON UTILITY MARK-OUTS, ABOVE GROUND STRUCTURES THAT WERE VISIBLE & ACCESSIBLE IN THE FIELD, AND THE MAPS AS LISTED IN THE REFERENCES AVAILABLE AT THE TIME OF THE SURVEY. AVAILABLE AS-BUILT PLANS AND UTILITY MARK-OUT DOES NOT ENSURE MAPPING OF ALL UNDERGROUND UTILITIES AND STRUCTURES. BEFORE ANY EXCAVATION IS TO BEGIN, ALL UNDERGROUND UTILITIES SHOULD BE VERIFIED AS TO THEIR LOCATION, SIZE AND TYPE BY THE PROPER UTILITY COMPANIES. CONTROL POINT ASSOCIATES, INC. DOES NOT GUARANTEE THE UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA EITHER IN SERVICE OR ABANDONED.
  - THIS PLAN IS BASED ON INFORMATION PROVIDED BY A SURVEY PREPARED IN THE FIELD BY CONTROL POINT ASSOCIATES, INC. AND OTHER REFERENCE MATERIAL AS LISTED HEREON.
  - THIS SURVEY WAS PREPARED WITHOUT THE BENEFIT OF A TITLE REPORT AND IS SUBJECT TO THE RESTRICTIONS, COVENANTS AND/OR EASEMENTS THAT MAY BE CONTAINED THEREIN.
  - BY GRAPHIC PLOTTING ONLY PROPERTY IS LOCATED IN FLOOD HAZARD ZONE X (AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN) PER REF. #2
  - ELEVATIONS REFER TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAV88), BASED ON GPS OBSERVATIONS UTILIZING THE KEYSTONE VRS NETWORK (KEYNETGPS).
- TEMPORARY BENCH MARKS SET:  
TBM-A: MAG NAIL SET IS ASPHALT PAVEMENT AT ELEVATION 107.68.  
TBM-B: MAG NAIL SET IS ASPHALT PAVEMENT AT ELEVATION 107.50.
- PRIOR TO CONSTRUCTION IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THAT THE BENCHMARKS ILLUSTRATED ON THIS SKETCH HAVE NOT BEEN DISTURBED AND THEIR ELEVATIONS HAVE BEEN CONFIRMED. ANY CONFLICTS MUST BE REPORTED PRIOR TO CONSTRUCTION.
- THE OFFSETS SHOWN ARE NOT TO BE USED FOR THE CONSTRUCTION OF ANY STRUCTURE, FENCE, PERMANENT ADDITION, ETC.

- REFERENCES:**
- THE TAX ASSESSOR'S MAP OF CITY OF NEWTON, MIDDLESEX COUNTY, MASSACHUSETTS, MAP 54.
  - MAP ENTITLED "NATIONAL FLOOD INSURANCE PROGRAM, FIRM, FLOOD INSURANCE RATE MAP, MIDDLESEX COUNTY, MASSACHUSETTS, PANEL 554 OF 656," MAP NUMBER 25017C0554E, EFFECTIVE DATE: JUNE 4, 2010.
  - MAP ENTITLED "PLAN OF LAND IN NEWTON, MASS.," PREPARED BY EVERETT M. BROOKS CO., DATED JUNE 1, 1964, RECORDED IN THE MIDDLESEX COUNTY REGISTRY OF DEEDS AS PLAN 999 OF 1964.
  - MAP ENTITLED "PLAN OF LAND IN NEWTON, MASS.," PREPARED BY WILLIAM J. FORD, JR., DATED JUNE 7, 1956, RECORDED IN THE MIDDLESEX COUNTY REGISTRY OF DEEDS AS PLAN 999 OF 1956.
  - UNDERGROUND GAS FACILITY MAPPING PROVIDED BY NATIONAL GRID.
  - UNDERGROUND WATER FACILITY MAPPING PROVIDED BY THE CITY OF NEWTON DEPARTMENT OF PUBLIC WORKS.
  - WATER TIE CARDS PROVIDED BY THE CITY OF NEWTON DEPARTMENT OF PUBLIC WORKS.
  - MAP ENTITLED "SUBDIVISION PLAN OF LAND IN NEWTON," PREPARED BY APEX ASSOCIATES, DATED DECEMBER 20, 1982, LAND COURT CASE 8256D.

CONTROL POINT ASSOCIATES, INC. - ALL RIGHTS RESERVED. THE INFORMATION CONTAINED HEREIN IS THE PROPERTY OF CONTROL POINT ASSOCIATES, INC. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF CONTROL POINT ASSOCIATES, INC.

**UTILITIES:**

THE FOLLOWING COMPANIES WERE NOTIFIED BY MASSACHUSETTS ONE-CALL SYSTEM (1-888-344-7233) AND REQUESTED TO MARK OUT UNDERGROUND FACILITIES AFFECTING AND SERVICING THIS SITE. THE UNDERGROUND UTILITY INFORMATION SHOWN HEREON IS BASED UPON THE UTILITY COMPANIES RESPONSE TO THIS REQUEST. SERIAL NUMBER: 20191307163

UTILITY COMPANY	PHONE NUMBER
AT&T TRANSMISSION	800-331-0500
VERIZON	800-922-0204
COMCAST - PEMBROKE	800-934-6489
LIGHTOWER	855-921-4237
RCN	800-748-4726
EVSOURCE - ELECTRIC	800-562-2000
NATIONAL GRID GAS - BOSTON	800-233-6325
WELLESLEY MUNICIPAL LIGHTING PLANT	781-235-7600

THE COMMONWEALTH OF MASSACHUSETTS REQUIRES NOTIFICATION BY EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN THE COMMONWEALTH.



THIS SURVEY HAS BEEN PERFORMED IN THE FIELD UNDER MY SUPERVISION, AND TO THE BEST OF MY KNOWLEDGE, BELIEF, AND INFORMATION, THIS SURVEY HAS BEEN PERFORMED IN ACCORDANCE WITH CURRENTLY ACCEPTED ACCURACY STANDARDS.

NOT A VALID ORIGINAL DOCUMENT UNLESS EMBOSSED WITH RAISED IMPRESSION OR STAMPED WITH A BLUE INK SEAL

GERRY L. HOLDRIGHT, PLS  
MASSACHUSETTS PROFESSIONAL LAND SURVEYOR #48211





FIELD DATE 3-27-19	<b>BOUNDARY &amp; TOPOGRAPHIC SURVEY</b> <b>FUSS &amp; O'NEILL, INC.</b> 1158 BEACON STREET LOT 49A, BLOCK 22, MAP 54 CITY OF NEWTON, MIDDLESEX COUNTY COMMONWEALTH OF MASSACHUSETTS
FIELD BOOK NO. 19-03MA	
FIELD BOOK PG. 34-35	<b>CONTROL POINT ASSOCIATES, INC.</b> 352 TURNPIKE ROAD SOUTHBOROUGH, MA 01772 508.948.3000 - 508.948.3003 FAX
FIELD CREW T.M.	
DRAWN: A.D./A.M.	ALBANY, NY 5182175010 CHALFONT, PA 2157128600 MANTHAN, NY 6467084111 MT LAUREL, NJ 6098572099 WARREN, NJ 9086680099
REVIEWED: S.P.P.	APPROVED: G.L.H.
DATE 4-1-19	SCALE 1" = 20'
FILE NO. 06-190021	DWG. NO. 1 OF 1




**NOTES**

1. PROTECT ITEMS INDICATED TO REMAIN DURING CONSTRUCTION
2. UNLESS OTHERWISE NOTED, EXISTING UTILITY STRUCTURES, PIPING, CONDUITS, AND OTHER APPURTENANCES WITHIN LIMIT OF WORK ARE TO REMAIN.
  - 2.1. PRIOR TO CONSTRUCTION, VERIFY EXISTING UTILITY ROUTING. EXISTING UTILITIES THAT SERVICE OTHER DEVELOPMENTS ARE TO REMAIN.
3. UNLESS OTHERWISE NOTED, EXISTING SITE FEATURES (E.G. LIGHT POLES, FENCES, BOLLARDS, PLANTINGS, TREES, BUT NOT LIMITED TOO, ETC.) WITHIN LIMIT OF WORK ARE TO REMAIN.
4. COORDINATE WITH OWNER FOR ITEMS TO BE SALVAGED.



File Path: J:\DWG\20190241A30\Civil\Plan20190241A30\_STP01.dwg Layout: CP-101 Plotted: Tue, September 01, 2020 - 1:31 PM User: kthimotee  
 MS VIEW: PLOTTER: DWG TO PDF.PC3 CTB File: FOSTB

No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	SMM
2.	5/6/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM
3.	6/22/2020	TOWN MEETING COMMENTS	JEV	SMM
4.	8/25/2020	TOWN COMMENTS	KT	SMM



**FUSS & O'NEILL**  
 108 MYRTLE STREET, SUITE 502  
 GAITHERSBURG, MD 20878  
 www.fussandoneill.com

UNION TWIST, INC.  
 SITE PREPARATION PLAN  
 1158 BEACON STREET  
 MASSACHUSETTS  
 NEWTON

PROJ. No.: 20190241.A30  
 DATE: 10/25/2019



**CP-101**

NOT FOR CONSTRUCTION

**GENERAL CONSTRUCTION SEQUENCE**

CONSTRUCTION IS A DYNAMIC OPERATION THAT IS AFFECTED BY WEATHER AND OTHER UNANTICIPATED CONDITIONS. THEREFORE, THE LAYOUT OF EROSION AND SEDIMENT CONTROLS SHOWN ON THESE PLANS WILL LIKELY BE MODIFIED TO BEST MANAGE CHANGING FIELD CONDITIONS. THE MASSACHUSETTS EROSION AND SEDIMENT CONTROL GUIDELINES FOR URBAN AND SUBURBAN AREAS RECOGNIZE THIS, WORK WITH THE ENGINEER, OWNER, AND REGULATORY AGENCIES SO THAT THE INTENT OF THE GUIDELINES ARE MET UNTIL ALL DISTURBED AREAS ARE PERMANENTLY STABILIZED. THE FOLLOWING IS A GENERAL SEQUENCE OF MAJOR CONSTRUCTION OPERATIONS.

- CONSTRUCTION IS ANTICIPATED TO START IN THE SPRING OF 2020.
1. INSTALL EROSION AND SEDIMENT CONTROLS.
2. BEGIN GENERAL CONSTRUCTION.
  - 2.1. STRIP AND STOCKPILE EXISTING TOPSOIL TEMPORARILY SEED STOCKPILES AS REQUIRED.
  - 2.2. ROUGH GRADE AND TEMPORARY STABILIZED DISTURBED AREAS.
  - 2.3. CONSTRUCT SITE UTILITIES AND STORMWATER FEATURES.
  - 2.4. ADJUST EROSION AND SEDIMENT CONTROLS AS REQUIRED DURING CONSTRUCTION.
  - 2.5. ONCE AREAS HAVE REACHED SUBGRADE, RE-SPREAD STOCKPILED TOPSOIL AND STABILIZE AREAS THAT HAVE REACHED FINISHED GRADE.
3. MAINTAIN ALL EROSION AND SEDIMENT CONTROL MEASURES UNTIL ALL DISTURBED AREAS ARE STABILIZED. SWEEP ROADS AND EMPLOY DUST CONTROL MEASURES AS NEEDED THROUGHOUT CONSTRUCTIONS.
4. REMOVE ANY TEMPORARY CONTROL MEASURES AND ACCUMULATED SEDIMENT FROM PERMANENT STRUCTURES.



File Path: J:\DWG\20190241A30\Civil\Plan20190241A30\_STP01.dwg Layer: CE-101 Plotted: Tue, September 01, 2020 - 1:31 PM User: kthimotee  
 MS VIEW: LAYER STATE: Plotter: DWG TO PDF.PC3 CTB File: FO.STB

No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	SMM
2.	5/6/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM
3.	6/22/2020	TOWN MEETING COMMENTS	JEV	SMM
4.	8/25/2020	TOWN COMMENTS	JEV	SMM

SCALE: HORIZ.: 1" = 10'  
 VERT.: 1" = 10'  
 DATUM: NAVD88  
 HORIZ.: 1" = 10'  
 VERT.: 1" = 10'  
 GRAPHIC SCALE

**FUSS & O'NEILL**  
 108 MYRTLE STREET, SUITE 502  
 GAITHERSBURG, MD 20878  
 www.fussandoneill.com

UNION TWIST, INC.  
**EROSION AND SEDIMENT CONTROL PLAN**  
 1158 BEACON STREET  
 NEWTON, MASSACHUSETTS


PROJ. No.: 20190241.A30  
 DATE: 10/25/2019  
**CE-101**

NOT FOR CONSTRUCTION



**SITE PLAN NOTES**

1. THE SITE IS IN THE BU2 DISTRICT OF THE CITY OF NEWTON.
2. THE PURPOSE OF THIS PLAN IS TO SHOW THE SITE FOR THE CHANGE IN USE TO A CANNABIS RETAIL STORE.
3. SITE FEATURES FINAL LOCATIONS MAY DIFFER FROM THIS PLAN.



**ZONING TABLE**  
BU2 DISTRICT – 2 STORIES OR LESS

DIMENSIONAL STANDARD	REQUIRED	EXISTING	PROPOSED
MIN. LOT AREA	10,000 SF	20,000 SF	20,443 SF
FRONT SETBACK	10 FT <sup>1</sup>	41.3 FT	41.30 FT
SIDE SETBACK	7.6 FT <sup>2</sup>	9.8 FT	9.8 FT
REAR SETBACK	15 FT <sup>3</sup>	52 FT	72 FT
MAX. BUILDING HEIGHT	24 FT	13 FT	13 FT
FLOOR AREA RATIO	1.00	0.26	0.24

**PARKING REQUIREMENTS**

USE	STANDARD	REQUIRED	EXISTING	PROPOSED
RETAIL STORE 1	1 SPACE/300SF + 1 SPACE/3 EMPLOYEES	12	10	16
RETAIL STORE 2	1 SPACE/3 SEATS + 1 SPACE/3 EMPLOYEES	2	2	2
	TOTAL PARKING		12	18

1. PER SECTION 1.5.3(A) OF THE TOWN OF NEWTON ZONING BYLAWS, NO BUILDING NEEDS TO BE SET BACK MORE THAN THE AVERAGE OF THE SETBACKS OF THE BUILDINGS ON THE NEAREST LOT ON EITHER SIDE. A VACANT LOT OR A LOT WHERE BUILDING IS SET BACK MORE THAN 10 FEET IS COUNTED AS THOUGH OCCUPIED BY A BUILDING SET BACK 10 FEET. ADJUTING PROPERTIES FRONT SETBACKS WERE ESTIMATED TO OBTAIN AVERAGE.  $(12.8+10)/2 = 11.4$  FT
2. 1/2 BUILDING HEIGHT OR ABUTTING SETBACK (BUILDING HEIGHT 13 FT)  $(13/2 = 6.5$  FT). GREATER OF 1/2 A BUILDING HEIGHT OR 15 FT WHEN ABUTTING A RESIDENTIAL DISTRICT.
3. GREATER 1/2 BUILDING HEIGHT (6.5') OR 15 FEET WHEN ABUTTING A RESIDENTIAL LOT OR PUBLIC USE. 0 FT WHEN NOT ABUTTING A RESIDENTIAL OR PUBLIC USE DISTRICT.

1. A MAXIMUM OF 12 EMPLOYEES AT ANY GIVEN TIME HAVE BEEN ASSUMED FOR THE PARKING CALCULATION AND 2,429 SF OF RETAIL SPACE.
2. RESTAURANT GROSS AREA = 2,341. o MAXIMUM OF 3 EMPLOYEES AND 3 SEATS AT ANY GIVEN TIME HAVE BEEN ASSUMED.

NOT FOR CONSTRUCTION

File Path: J:\DWG\20190241A30\Civil\Plan\20190241A30\_STP01.dwg Layer: CS-101 Plotted: Tue, September 01, 2020 - 1:31 PM User: kthimotee  
MS VIEW: LAYER STATE: Plotter: DWG TO PDF PC3 CTB File: FO.STB

UNION TWIST, INC.  
SITE PLAN  
1158 BEACON STREET  
NEWTON MASSACHUSETTS


**FUSS & O'NEILL**  
108 MYRTLE STREET, SUITE 502  
QUINCY, MA 02171  
617.283.4473  
www.fandou.com

SCALE: HORZ.: 1" = 10'  
VERT.: 1" = 10'  
DATE: NAVD83  
GRAPHIC SCALE: 0 5 10


No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	SMM
2.	05/06/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM
3.	06/22/2020	TOWN MEETING COMMENTS	JEV	SMM
4.	08/25/2020	TOWN COMMENTS	JEV	KT

PROJ. No.: 20190241.A30  
DATE: 10/25/2019

**CS-101**



No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	SMM
2.	05/06/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM
3.	06/22/2020	TOWN MEETING COMMENTS	JEV	SMM
4.	08/25/2020	TOWN COMMENTS	JEV	KT




**FUSS & O'NEILL**  
 108 MYRTLE STREET, SUITE 502  
 QUINCY, MA 02171  
 www.fuss.com

UNION TWIST, INC.  
 GRADING AND DRAINAGE PLAN  
 1158 BEACON STREET  
 NEWTON, MASSACHUSETTS


PROJ. No.: 20190241.A30  
 DATE: 10/25/2019  
**CG-101**

NOT FOR CONSTRUCTION





**LEGEND**



**PLANT LIST**

KEY	BOTANICAL NAME	COMMON NAME	QTY.	SIZE
<b>TREES</b>				
GT	GLEDITSIA TRIACANTHOS VAR. INERMIS 'SHADEMASTER'	'SHADEMASTER' THORNLESS HONEYLOCUST	6	3"-3.5" CAL.
TO	THUJA OCCIDENTALIS 'SMARAGD'	AMERICAN ARBORVITAE	38	3' - 4' HT.
<b>SHRUBS</b>				
IC	ILEX CRENATA 'SKY PENCIL'	'SKY PENCIL' HOLLY	49	3 GAL.
IG	ILEX GLABRA 'OEM BOX'	'OEM BOX' INKBERRY	14	3 GAL.
IV	ILEX VERTICILLATA 'BERRY POPPINS'	'BERRY POPPINS' WINTERBERRY HOLLY	16	5 GAL.
JH	JUNIPERUS HORIZONTALIS 'BAR HARBOR'	'BAR HARBOR' CREEPING JUNIPER	5	3 GAL.
RA	RHUS AROMATICA 'GRO-LOW'	'GRO-LOW' FRAGRANT SUMAC	13	3 GAL.
RX	ROSA 'CHEWPAOUT' 'OSO EASY URBAN LEGEND'	'OSO EASY URBAN LEGEND' ROSE	9	3 GAL.
<b>PERENNIALS/GRASSES/GROUNDCOVERS</b>				
EP	ECHINACEA BUTTERFLY 'PURPLE EMPEROR'	BUTTERFLY 'PURPLE EMPEROR' CONEFLOWER	49	1 GAL.
NF	NEPETA 'FAASSENI' 'CAT'S MEOW'	'CAT'S MEOW' CATMINT	5	2 GAL.
<b>SEED MIX</b>				
	NEW ENGLAND WETMIX (WETLAND SEED MIX) NEW ENGLAND WETLAND PLANTS, INC. 413.548.8000 (OR APPROVED EQUAL)		785	S.F.

**PLANTING NOTES:**

- ALL PLANTING MATERIAL TO BE NURSERY GROWN STOCK SUBJECT TO A.A.N. STANDARDS
- THE CONTRACTOR SHALL SUPPLY ALL PLANTS IN QUANTITIES SUFFICIENT TO COMPLETE THE WORK SHOWN ON THE DRAWINGS AND LISTED IN THE PLANT LIST. IN THE EVENT OF A DISCREPANCY BETWEEN QUANTITIES SHOWN IN THE PLANT LIST AND THOSE REQUIRED BY THE DRAWINGS, THE LARGER NUMBER SHALL APPLY.
- ALL PLANTS SHALL BE APPROVED PRIOR TO INSTALLATION AND SHALL BE LOCATED ON SITE BY THE CONTRACTOR FOR THE APPROVAL OF THE LANDSCAPE ARCHITECT. ANY INSTALLATIONS WHICH WERE NOT APPROVED BY THE LANDSCAPE ARCHITECT AND WHICH ARE SUBSEQUENTLY REQUESTED TO BE MOVED WILL BE DONE AT THE CONTRACTOR'S EXPENSE.
- PRECISE LOCATION OF ITEMS NOT DIMENSIONED ON THE PLAN ARE TO BE FIELD STAKED BY THE CONTRACTOR AND SHALL BE SUBJECT TO THE REQUIREMENTS SPECIFIED IN THE PREVIOUS NOTE.
- ALL SHRUB MASSINGS AND TREE PITS SHALL BE MULCHED TO A DEPTH OF 3" WITH MULCH.
- TREES SHALL NOT BE STAKED UNLESS OTHERWISE NOTED.
- THE CONTRACTOR IS RESPONSIBLE FOR ANY DAMAGED VEGETATION AND SHALL REPLACE OR REPAIR ANY DAMAGED MATERIAL, AT HIS OWN EXPENSE. THE CONTRACTOR SHALL CONTACT "DIG-SAFE" AT 811 PRIOR TO CONSTRUCTION.
- ALL SHRUB AND GROUNDCOVER PLANTING AREAS SHALL HAVE CONTINUOUS BEDS OF TOPSOIL 12" DEEP. ALL SOD AND HYDROSEED AREAS SHALL HAVE A MINIMUM TOPSOIL BED OF 6".
- THE CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES IN THE FIELD, WHERE PLANT MATERIAL MAY INTERFERE WITH UTILITIES, THE CONTRACTOR SHALL NOTIFY THE LANDSCAPE ARCHITECT TO COORDINATE THEIR INSTALLATION.
- FOR PLANTING SOIL MIX, SEE SPECIFICATIONS OR PLANTING DETAILS.
- ALL EXISTING RILL, GULLY OR CHANNEL EROSION SHALL BE FILLED WITH APPROPRIATE BACKFILL MATERIAL, FINE RAKED, SCARIFIED AND STABILIZED WITH APPROPRIATE VEGETATIVE MATERIAL AND / OR APPROPRIATE SEDIMENTATION AND EROSION CONTROL MEASURES.
- ADJUSTMENTS IN THE LOCATION OF THE PROPOSED PLANT MATERIAL AS A RESULT OF EXISTING VEGETATION TO REMAIN SHALL BE APPROVED BY THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.
- THE CONTRACTOR IS RESPONSIBLE FOR ALL MAINTENANCE REPAIR AND REPLACEMENT OF PLANT MATERIAL, AS REQUIRED, FOR THE DURATION OF THE PROJECT AND SUBSEQUENT WARRANTY PERIOD.
- PLANTINGS INSTALLED IN THE DRY SUMMER MONTHS AND / OR LAWN SEEDED OUT OF SPRING OR FALL PERIODS, IF ALLOWED BY OWNER, WILL REQUIRE AGGRESSIVE IRRIGATION PROGRAMS AT THE CONTRACTOR'S EXPENSE, UNLESS OTHERWISE DIRECTED BY THE OWNER.
- UPON COMPLETION OF PLANTING, REMOVE FROM SITE ALL EXCESS SOIL, MULCH, AND MATERIALS AND DEBRIS RESULTING FROM WORK OPERATIONS. CLEAN UP SHOULD BE COMPLETED AT THE END OF EACH WORKING DAY. RESTORE TO ORIGINAL CONDITIONS ALL DAMAGED PAVEMENTS, PLANTING AREAS, STRUCTURES AND LAWN AREAS RESULTING FROM LANDSCAPING OPERATIONS.
- CONTRACTOR SHALL SURVEY, LOCATE, AND PROTECT ALL TREES WITHIN AREAS SHOWN AS "EXISTING VEGETATION TO REMAIN" WITHIN THE DEVELOPMENT ENVELOPE FOR REVIEW BY L.A. PRIOR TO CLEARING OPERATIONS.
- CONTRACTOR TO RESEED ALL DISTURBED AREAS.

**UNION TWIST, INC.**  
**LANDSCAPE PLAN**  
 1158 BEACON STREET  
 NEWTON, MASSACHUSETTS

**FUSS & O'NEILL**  
 108 MYRTLE STREET, SUITE 502  
 GAITHERSBURGH, MD 20878  
 www.fussandoneill.com


SCALE: HORIZ.: 1" = 10'  
 VERT.: 1" = 10'  
 DATUM: NAVD83  
 HORIZ.: 1" = 10'  
 VERT.: 1" = 10'  
 GRAPHIC SCALE

No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	JEV
2.	05/06/2020	SITE PLAN APPROVAL SUBMISSION	JEV	JEV
3.	06/22/2020	TOWN MEETING COMMENTS	JEV	JEV
4.	08/25/2020	TOWN COMMENTS	JEV	KT

PROJ. No.: 20190241A30  
 DATE: 10/25/2019  
**LP-101**




File Path: J:\DWG\20190241A30\Civil\Plan\20190241A30\_DET01.dwg Layout: CD-501 User: khimotee  
 MS VIEW: Plotter: DWG TO PDF.PC3 CTB File: FOSTB




**CONSTRUCTION ENTRANCE**  
SCALE: N.T.S.


**SILT FENCE**  
SCALE: N.T.S.




**TEMPORARY SOIL STOCKPILE**  
SCALE: N.T.S.



**COMPOST FILTER SOCK**  
SCALE: N.T.S.



**TEMPORARY TREE PROTECTION**  
SCALE: N.T.S.



**STORMWATER INLET PROTECTION**  
SCALE: NOT TO SCALE

No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	SMM
2.	5/6/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM
3.	6/22/2020	TOWN MEETING COMMENTS	JEV	SMM
4.	8/25/2020	TOWN COMMENTS	JEV	SMM


SCALE:	HORIZ.: AS NOTED
	VERT.: AS NOTED
	DATUM:
	HORIZ.: 1" = 100'
	VERT.: 1" = 10'
	GRAPHIC SCALE

**FUSS & O'NEILL**  
 108 MYRTLE STREET, SUITE 502  
 QUINCY, MA 02171  
 (417) 285-4475  
 www.fandob.com

UNION TWIST, INC.  
 EROSION AND SEDIMENT CONTROL  
 DETAILS  
 1158 BEACON STREET  
 NEWTON, MASSACHUSETTS


PROJ. No.: 20190241.A30  
 DATE: 10/25/2019  
**CD-501**







**NOTES:**  
1. MAX SLOPE IN ALL DIRECTION MUST BE  $\leq 2.0\%$

**HANDICAP PARKING STALL LAYOUT**  
SCALE: N.T.S.




**NOTES:**  
1. 1 INCH DEEP BEVELED JOINT AT TOP AND FACE OF CURB EVERY 10 FEET.  
2. 1/2 INCH EXPANSION JOINT AND FILLER EVERY 30 FEET.  
3. 1/2 INCH EXPANSION JOINT AND FILLER WHEN CURB IS ADJACENT TO CONCRETE SIDEWALK.

**CONCRETE CURB**  
SCALE: N.T.S.




**CONCRETE DUMPSTER PAD**  
SCALE: N.T.S.





**NOTES:**  
1. LENGTH OF CURB VARIES TO FIT RADIUS. 2 FT. MIN.  
2. ENDS SHALL BE SQUARE TO TOP AND RADIAL TO FACE.  
3. BUTT ENDS TOGETHER AS CLOSE AS POSSIBLE. MAXIMUM SPACE OF 1/2" ALLOWED. 8" DOWN FROM TOP. JOINT SHALL BE MORTARED FULL DEPTH.  
4. 1/2" EXPANSION JOINT EVERY 50± FEET.  
5. CURBS TO BE SET ON A RADIUS OF 100 FEET OR LESS SHALL BE CUT TO THE CURVE REQUIRED, AND THEIR ENDS CUT ON RADIAL LINES.  
6. 1/2" EXPANSION JOINT AND FILLER WHEN CURB IS ADJACENT TO CONCRETE SIDEWALK.

**GRANITE CURB**  
SCALE: N.T.S.




**NOTES:**  
1. SYMBOL PAINTED HIGHWAY WHITE (TWO COATS)

**ACCESSIBLE PARKING SYMBOL**  
SCALE: N.T.S.




**NOTES:**  
1. PROVIDE DEEP DUMMY JOINT EVERY 5' (1/3 DEPTH OF SLAB)  
2. REPLACE 1/4" EXPANSION JOINT IF EXISTING JOINT FALLS WITHIN RECONSTRUCTION.

**CONCRETE SIDEWALK**  
SCALE: N.T.S.




**ACCESSIBLE PARKING SIGN POST**  
SCALE: N.T.S.



**BITUMINOUS CONCRETE PAVEMENT**  
SCALE: N.T.S.

No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	SMM
2.	05/06/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM
3.	06/22/2020	TOWN MEETING COMMENTS	JEV	SMM
4.	08/25/2020	TOWN COMMENTS	JEV	KT




**FUSS & O'NEILL**  
108 MYRTLE STREET, SUITE 502  
QUINCY, MA 02171  
617.285.4675  
www.fandob.com

UNION TWIST, INC.  
**SITE DETAILS**  
1158 BEACON STREET  
NEWTON  
MASSACHUSETTS

PROJ. No.: 20190241.A30  
DATE: 10/25/2019


**CD-502**






NOTES:  
1. SEE MASSDOT CONSTRUCTION STANDARD E107.6.5

**DETECTABLE WARNING STRIP**  
SCALE: N.T.S.




NOTES:  
1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.  
2. SEE SPECIAL PROVISIONS FOR MATERIALS AND COLOR SPECIFICATIONS

**STOCKADE FENCE**  
SCALE: N.T.S.




**SIGNS**  
SCALE: N.T.S.

SIGN GRAPHIC	SIGN NAME	SIZE	MUTCD REFERENCE
	ACCESSIBLE PARKING	12"x18"	R7-8
	VAN ACCESSIBLE	18"x9"	R7-8P
	DO NOT ENTER SIGN	24"x24"	R5-1
	NO DUMPING	12"x18"	N/A
	EXIT SIGN WITH RIGHT ARROW	24"x24"	N/A
	ENTER ONLY SIGN	24"x24"	N/A




LEGEND  
HSL = HIGH SIDE TRANSITION LENGTH (SEE E 107.9.0)  
W = SIDEWALK WIDTH  
W<sub>c</sub> = CURB WIDTH  
CC = CEMENT CONCRETE  
\* = TOLERANCE FOR CONSTRUCTION ±0.5%  
USABLE SIDEWALK WIDTH PER AAB = W-W<sub>c</sub>  
USABLE SIDEWALK WIDTH PER AAB IS NOT TO BE LESS THAN 4'0"  
SEE E 107.6.5 FOR DETAILS OF DETECTABLE WARNING PANEL

NOTE:  
ROADWAY GUTTER AND FIRST 6' OF SIDEWALK TO BE ADJUSTED FOR FIELD CONDITIONS




**ACCESSIBLE RAMP**  
SCALE: N.T.S.



NOTES:  
1. RUNNING SLOPE OF SIDEWALK/DRIVEWAY SHALL NOT EXCEED 8.3% (1:12)  
2. 4' MINIMUM ACCESSIBLE PATCH SHALL BE INSTALLED WITH CROSS SLOPE NOT EXCEEDING 2% (1:50)

**DRIVEWAY DEVELOPMENT**  
SCALE: N.T.S.




NOTES:  
1. DETAILS AND NOTES HEREON ARE GENERIC AND ARE INTENDED TO GIVE A GENERAL DESCRIPTION OF THE WALL. THEY ARE NOT FOR CONSTRUCTION.  
2. DETAILED WALL CONSTRUCTION PLANS, STAMPED BY A PROFESSIONAL ENGINEER LICENSED IN THE STATE OF MASSACHUSETTS, SHALL BE SUBMITTED TO AND APPROVED BY THE ENGINEER PRIOR TO CONSTRUCTION.  
3. APPROVED WALL MANUFACTURERS INCLUDE VERSA-LOK, KEYSTONE, MESA OR EQUAL.

**MODULAR CONCRETE BLOCK RETAINING WALL**  
SCALE: N.T.S.

File Path: J:\DWG\20190241A30\Civil\Plan\20190241A30\_DET01.dwg Layout: CD-503 Plotted: Tue, September 01, 2020 - 1:31 PM User: kthimote  
MS VIEW: LAYER STATE: PLOTTER: DWG TO PDF.PC3 CTB FILE: FOSTB

No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	SMM
2.	5/6/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM
3.	6/22/2020	TOWN MEETING COMMENTS	JEV	SMM
4.	8/25/2020	TOWN COMMENTS	JEV	KT




**FUSS & O'NEILL**  
108 MYRTLE STREET, SUITE 502  
QUINTON, MA 02171  
www.fandob.com

UNION TWIST, INC.  
SITE DETAILS  
1158 BEACON STREET  
NEWTON, MASSACHUSETTS


PROJ. No.: 20190241.A30  
DATE: 10/25/2019

**CD-503**






**BOLLARD**  
 SCALE: N.T.S.




**PLAN VIEW**



- NOTES:**
1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
  2. MATERIAL: COMPRESSION MOLDED RECYCLED RUBBER COMPOSITE.
  3. MOUNTING HOLES 1/2" DIA. (RECESSED 1 3/8" DIA. AND 1/2" DEEP TO ACCOMMODATE A SPIKE'S HEAD) ARE PROVIDED FOR INSTALLATION WITH SPIKES OR LAG BOLTS.
  4. DURABLE, MOLDED IN YELLOW STRIPES, COVERED WITH THE GLASS BEADS, PROVIDE GOOD VISIBILITY DURING DAY AND NIGHT.
  5. "CAT'S EYES" REFLECTORS PROVIDE ADDITIONAL REFLECTIVITY AT NIGHT.
  6. 1" CLEARANCE OF EACH SIDE OF THE ROAD

**SPEED BUMP**  
 SCALE: N.T.S.



**ELEVATION**

- NOTES:**
1. REPRESENTATIVE BIKE RACK DETAIL. ACTUAL BIKE RACK TO BE SELECTED BY OWNERSHIP.

**BIKE RACK**  
 SCALE: N.T.S.

SCALE: HORZ.: AS NOTED  
 VERT.:  
 DATUM:  
 HORZ.:  
 VERT.:  
 GRAPHIC SCALE  
 1  
 0  
 1

**FUSS & O'NEILL**  
 108 MYRTLE STREET, SUITE 502  
 CHARLESTON, MA 02111  
 (617) 283-4473  
 www.fandh.com


UNION TWIST, INC.  
 SITE DETAILS  
 1158 BEACON STREET  
 MASSACHUSETTS  
 NEWTON

PROJ. No.: 20190241.A30  
 DATE: 10/25/2019

**CD-504**


No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	SMM
2.	5/6/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM
3.	6/22/2020	TOWN MEETING COMMENTS	JEV	SMM
4.	8/25/2020	TOWN COMMENTS	KT	SMM






- NOTES:**
- SEE GRADING AND DRAINAGE PLAN FOR PIPE SIZE, PIPE MATERIAL, AND INVERTS.
  - PROCESSED GRAVEL SHALL BE COMPACTED TO 95-PERCENT MODIFIED PROCTOR.

**YARD DRAIN**  
 SCALE: N.T.S.




**STORM SEWER TRENCH**  
 SCALE: N.T.S.




**PERFORATED PIPE**  
 NOT TO SCALE

- NOTES**
- UNLESS OTHERWISE NOTED, INTERIOR DIAMETER (D) SHALL BE 4 FEET. AT A MINIMUM, INTERIOR DIAMETER SHALL BE 6" LARGER THAN THE LARGEST DIAMETER PIPE.
  - FRAME AND GRATE SHALL CONFORM TO MASSACHUSETTS DEPARTMENT OF TRANSPORTATION CONSTRUCTION STANDARD DETAILS:
    - CATCH BASINS
      - E204.2.0 WHERE ADJACENT TO CURBS.
      - E201.6.0 AND E201.10.0 IN OTHER AREAS.
    - MANHOLES
      - E202.6.0 AND E202.8.0.
  - CATCH BASIN HOODS SHALL CONFORM TO MASSACHUSETTS DEPARTMENT OF TRANSPORTATION CONSTRUCTION STANDARD DETAILS E201.12.0.
  - STEPS SHALL CONFORM TO ASTM C478.
  - STRUCTURES SHALL BE DESIGNED FOR HS-20 LOADING.
  - REINFORCING STEEL SHALL CONFORM TO ASTM A185.
  - WATERTIGHT GASKET JOINTS SHALL BE BUTYL RESIN CONFORMING TO ASTM C990.
  - FLAT TOP SECTIONS ARE TO BE USED FOR STRUCTURE WITH AN INTERIOR DIAMETER (D) OF 6 FEET OR GREATER AND WHEN REQUIRED DUE TO PIPE COVER.

**DRAINAGE STRUCTURE NOTES**  
 SCALE: N.T.S.




**PRECAST CONCRETE CATCH BASIN**  
 SCALE: N.T.S.




**DRAIN MANHOLE**  
 SCALE: N.T.S.

No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	SMM
2.	05/06/2020	SITE PLAN APPROVAL SUBMISSION	JEV	SMM
3.	06/22/2020	TOWN MEETING COMMENTS	JEV	SMM
4.	08/25/2020	TOWN COMMENTS	KT	SMM



**FUSS & O'NEILL**  
 108 MYRTLE STREET, SUITE 502  
 QUINCY, MA 02171  
 (417) 284-4473  
 www.fandob.com





UNION TWIST, INC.  
 SITE DETAILS  
 1158 BEACON STREET  
 NEWTON  
 MASSACHUSETTS

PROJ. No.: 20190241.A30  
 DATE: 10/25/2019

**CD-505**



File Path: J:\DWG\2019\2024\1A30\Civil\Plan\20190241A30\_DET01.dwg Layout: CD-506 Plotted: Tue, September 01, 2020 - 1:31 PM User: kthimote  
 MS VIEW: Plotter: DWG TO PDF.PC3 CTB File: FOSTB




NOTES:  
 STONE SHALL BE 2"-4" ROUNDED RIVER STONE.

LEAKOFF  
 SCALE: N.T.S.

SCALE: HORIZ.: AS NOTED  
 VERT.: 1" = 1'-0"  
 DATUM: 0  
 HORIZ.: 1" = 1'-0"  
 VERT.: 1" = 1'-0"  
 GRAPHIC SCALE


**FUSS & O'NEILL**  
 108 MYRTLE STREET, SUITE 502  
 QUINCY, MA 02171  
 617.285.4475  
 www.fandb.com



UNION TWIST, INC.  
 SITE DETAILS  
 1158 BEACON STREET  
 NEWTON, MASSACHUSETTS


PROJ. No.: 20190241.A30  
 DATE: 10/25/2019

CD-506




BASIN NOTES:  
 1. SEED MIX SHALL BE NEW ENGLAND WETLAND PLANTS "NEW ENGLAND EROSION CONTROL/RESTORATION MIX FOR DETENTION BASINS AND MOIST SITES".

INFILTRATION BASIN  
 SCALE: N.T.S.




TREE PLANTING  
 SCALE: N.T.S.



SHRUB PLANTING DETAIL FOR CONTAINERIZED SHRUBS  
 SCALE: N.T.S.





Luminaire list (Beacon St)								
Index	Manufacturer	Article name	Item number	Fitting	Luminous flux	Light loss factor	Connected load	Quantity
☐ 20'	PHILIPS GARDCO	Pureform COMFORT Area (P26), 140 LED's, 3000K CCT, TYPE 3 OPTIC	P26-140L-1150-WW-G2-3-UNV	1x(1) Square Light Guide Plate DRIVEN AT 500mA	5801 lm	0.80	52.2 W	4
☐ 12'	SIGNIFY GARDCO	Pureform COMFORT Sconce (PWS), 140 LED's, 4000K CCT, TYPE 2 OPTIC	PWS-140L-450-NW-G2-2-UNV	1x(1) Square Light Guide Plate DRIVEN AT 450mA	1000 lm	0.80	22.3 W	9

NOTE:

- ① SET ADJUSTABLE LUMEN OUTPUT TO 50%.

#	Name	Parameter	Min	Max	Average	Mean/Min	Max/Min
1	Parking Lot	Horizontal illuminance	0.36 fc	3.63 fc	1.38 fc	3.80	10.00
2	Side Walkway	Horizontal illuminance	0.95 fc	2.04 fc	1.46 fc	1.53	2.14

#	Name	Parameter	Min	Max	Average	Mean/Min	Max/Min
1	Overflow	Horizontal illuminance	0.099 fc	3.33 fc	0.93 fc	9.42	33.84

No.	DATE	DESCRIPTION	DESIGNER	REVIEWER
1.	01/27/2020	DRAINAGE REVISION	JEV	JEV
2.	05/06/2020	SITE PLAN APPROVAL SUBMISSION	JEV	JEV
3.	06/22/2020	TOWN MEETING COMMENTS	JEV	JEV
4.	08/25/2020	TOWN COMMENTS	JEV	KT

SCALE:	HORIZ: 1"=40'	VERT: 1"=4'
DATUM:	HORIZ: 1"=40'	
VERT: 1"=4'		
GRAPHIC SCALE	0	

**FUSS & O'NEILL**  
 108 MYRTLE STREET, SUITE 502  
 02454 BOSTON, MA 02111  
 617.285.4675  
 www.fuss.com



UNION TWIST, INC.  
 PHOTOMETRIC PLAN  
 1158 BEACON STREET  
 NEWTON  
 MASSACHUSETTS

PROJ. No.: 20190241.A30  
 DATE: 10/25/2019

SL-1