CITY OF NEWTON, MASSACHUSETTS PURCHASING DEPARTMENT

purchasing@newtonma.gov Fax (617) 796-1227

March 19, 2021

ADDENDUM #1 INVITATION FOR BID #21-41

FURNISH & INSTALL ACCESSIBLE MATTING FOR PLAYGROUND SURFACING

THIS ADDENDUM IS TO: ANSWER THE QUESTION BELOW:

Q1. Is there any specifications on materials being used? How and where it is going? Also the quantities?

A1. The mats must have testing that proves it has a 10 ft fall height or greater. It also must meet ASTM F 1292 and 1951-14. Specification Sheet attached. The locations and quantities are on the bid sheet.

All other terms and conditions of this bid remain unchanged.

~ Zul

PLEASE ENSURE THAT YOU ACKNOWLEDGE ALL ADDENDA ON YOUR BID FORM. FAILURE TO ACKNOWLEDGE ALL ADDENDA COULD RESULT IN REJECTION OF YOUR BID AS NONRESPONSIVE.

Thank you.

Nicholas Read

Chief Procurement Officer



Specification Sheet

Grassmats are the ultimate in multipurpose matting for you and your business .From acting as a safety surface in playgrounds to providing anti-slip surfaces behind bars they provide a long lasting and cost effective solution to many of your problems.

- *Simple installation
- *Minimal groundwork required
- *Surface reinforcement
- *Zero maintenance
- *Non-slip 5 year guarantee

- *Durable and resistant to abrasion
- *Resistant to indentation
- *Natural Drainage material
- *Critical fall height of 10'
- *Natural appearance

Areas of Use

School Playgrounds

Public play areas

Outside Stables

Ice rinks

Bars and Nightclubs

Golf courses

Pathways

Muddy Gateways

Campsite







The mats being used in a non-slip application and a close up of the grass growing through allowing for a more natural look, whilst still safe.

Weight: 28lb

Width: 3.3 '

Length: 5 '

Thickness: 0.9"

Pallet weight (80 Mats): 2300 lb

approx.

These mats have been safety tested to and comply with ASTM F1292 and ASTM F1951 and copies of the certificates are available upon request.

Grassmats USA LLC 864-276-5557

